**Business Machines** 

## CONTENTS

Brother Fax Machines	234
Brother P-Touch Label Machines	235
Sharp Cash Register	237
Calculators	238
Pocket Calculators	238
Handheld Calculators	239
Desktop Calculators	239
Desktop Printing Calculators	241
Scientific Calculators	242
Canon Scanners	242
Fellowes Home Shredders	246
Fellowes Deskside Shredders	247
Fellowes Professional Shredders	248
Fellowes Commercial Shredders	249
Fellowes Shredder Accessories	249
Fellowes Large Office Lamination	254
Fellowes Office Lamination	254
Fellowes Small Office Lamination	255
Fellowes Home & Home Office Lamination	255
Fellowes Lamination Supplies	256
Fellowes Office Comb Binders	260
Fellowes Personal Comb Binders	261
Fellowes Wire Binders	262
Fellowes Binding Supplies	263
Dixon Binding Covers	263
Fellowes Office Guillotine	266
Fellowes Electric Office Trimmer	266
Fellowes Office Rotary Trimmer	266
Fellowes Home And Home Office Trimmers	267
Fellowes Cleaning Solutions	269



#### **BROTHER FAX878 FAX MACHINE**

Plain paper fax & copier for home & small office use. More than just a facsimile, the FAX-878 can make copies of your faxes or other documents and comes with an integrated handset that can be used for making calls. Brothers Fax Easy series delivers an easy-to-use, attractive and space-saving solution to meet all your facsimile needs.

- Integrated handset doubling up as a telephone
- Copy reduce or enlarge document sizes from 50% to 150%
- 12 one-touch keys and up to 112 speed-dial and broadcasting locations for added convenience
- 9.6 Kbps modem speed, approx. 15 sec transmission

444878 FAX878



#### **BROTHER FAX837MCS FAX MACHINE**

Plain paper fax & copier digital answer machine for home use. This tireless, space-saving office companion can digitally record up to 60 seconds of incoming voice messages. With superior silver finish, this easy-to-use plain paper fax machine even offers caller ID and caller "hold" facilities. With fast transmission speeds of 9 seconds you can now store up to 4 group dials, making the sending of bulk messages easier.

- Plain paper thermal fax
- 14.4Kbps modem speed (9 seconds transmission)
- 512KB memory capacity
- 30 sheets paper capacity
- 10 sheet auto document feeder
- 4 one touch 100 speed dials

BR4032 FAX837MCS



#### **BROTHER FAX1030E FAX MACHINE**

Plain paper fax & copier digital answer machine for home & small business. At the heart of this combined telephone / answer / fax machine is a professional plain paper fax facility with advanced business functions. It is ideal for the home or office that requires both facilities but has restricted space. So why have two separate machines when you can have it in one? With the aid of Brother's navigation key, it is both quick and easy to search through and select any of the FAX-1030e's many advanced business functions. The machine also boasts the ability to automatically redial the intended recipient, should the number be busy.

- Plain Paper Fax
- In-built Telephone Handset
- In-built Digital Answer Machine
- 14.4kbps G3 Modem
- 1MB Memory
- 200 sheet paper tray
- Caller ID and FaxAbility compatible

FAX1030E FAX1030E



#### **BROTHER FAX2820 FAX MACHINE**

Plain paper laser fax & copier for business use. The Fax2820 is more than just a fax machine. It triples up as a laser copier and phone as well. As a copier, the machine produces a resolution of up to 200 x 300dpi, with reduce / enlarge ratios from 50%-200%, in 1% increments. Of course, with the integrated handset, it gives you so much more communication convenience. But that's not all: the FAX2820 can be converted into your very own laser printer.

- 8MB standard memory
- 14.4Kbps modem speed
- 250 sheet paper tray
- 20 page auto document feeder
- 20 one touch and 200 speed dials
- Broadcasting up to 270 locations

BR4037 FAX2820



## 235

**Business Machines** 

## **BROTHER P-TOUCH LABEL MACHINES**

## **BROTHER PT90 P-TOUCH LABEL MACHINE**

The PT-90 features a brand-new Deco Mode with 8 new designs for creating designer-like labels to identify and organise your home or office. With a large 12-character LCD display, and QWERTY-style keyboard for enhanced table-top usability and familiarity, the PT-90 prints in 6 font sizes, 9 font styles and 7 framing options. It can also print one or two lines, on two different label widths (6/12mm). 444430 PT90

#### **BROTHER PT1090 P-TOUCH LABEL MACHINE**

An easy-to-use, hand-held labelling machine for the office or home, that produces a wide variety of professional quality labels made to last. • Built-in manual tape cutter

- ABCD style keyboard
- LCD:12 character x 1 line & indicators • 10mm / sec print speed
- 444429 PT1090



#### **BROTHER PT1290 P-TOUCH LABEL MACHINE**

The PT1290 features an easy-view 15-character LCD display and typewriter-style keyboard. A dedicated "Deco Mode" key gives you easy access to 15 unique, pre-designed label formats for creating decorative labels including professional layouts that accommodate 2 rows of text. Prints labels up to 12mm wide on durable, TZ laminated tape - perfect for both indoor and outdoor use. Other great features include: 15-character LCD display, 6 Auto Formats and 7 Framing Options. Built-in memory saves up to 9 of your favourite labels. Uses 6 "AAA" batteries or optional AC adaptor (neither included). 444445 PT1290

### **BROTHER PT2030 P-TOUCH LABEL MACHINE**

Ideal for home and business use, the PT2030 has a simple-to-use keyboard for easy operation. This labelling machine benefits from having a large LCD display for easy viewing and editing. Choose from 3.5, 6, 9, 12 and 18mm TZ laminated tape range. (For tapes go to page 196).

- Uses laminated TZ tapes
- Larger LCD screen
- Raised angled keys for more accurate input
- Has text framing and underlining
- 444495 PT2030





## **BROTHER PT2730 P-TOUCH LABEL MACHINE**

The PT-2730 is a PC compatible desktop labelling machine which is ideal for all office labelling requirements. Its features include printing labels which incorporate text, logos, images, barcodes and pricing information and is the necessary professional labelling choice.

- Easy to use QWERTY-style design
- Durable labels up to 24mm, able to handle extreme conditions
- Preview your design easily with the large LCD screen
- Built in Automatic cutter
- Get creative, with customised labels printed direct from your PC
- Extra versatility print labels to 3.5, 6, 9, 12, 18 & 24mm

444496 PT2730



#### **BROTHER PT2430PC P-TOUCH LABEL MACHINE**

Turn anything you create on your computer into a P-touch label! Combine text, symbols, bar codes, photos and graphics to create custom labels. Includes easy-to-use templates for address labels, video labels, CD labels, and more. Plug it in, turn it on, and print. Creating personalised self-adhesive labels is easy with the Brother P-touch. This easily connected integrated system consists of a high resolution label printer and software, guaranteeing you maximum flexibility and creativity. (For labels go to page 196).

BR4005 PT2430PC



#### **BROTHER PT7600 P-TOUCH LABEL MACHINE**

Durable and rugged handheld labeller uses new flexible ID tape and rotated print for cable wrapping and flagging, industrial strength laminated tapes for patch panel labelling and standard laminated tapes for faceplate labelling. Download databases, custom templates and graphics. Memory functions to store frequently used label designs, easy-entry keyboard and large display for quick editing. Auto sizing, sequential numbering, repeat printing, and vertical style for quick labelling. Auto power-off feature helps to save battery life. Includes Flexible ID adhesive tape, rechargeable battery, AC adaptor and carry case.

- Portable rugged design
- Download custom templates (with a database), and graphics to internal, non-volatile memory
- Built-in Telecom / datacom templates wire / cables, patch panels, faceplates
- Makes rotated, vertical and horizontal labels
- Prints industry-standard bar codes

BR7600 PT7600



#### **BROTHER QL500W P-TOUCH LABEL MACHINE**

You can now print labels direct from Word, Excel and Outlook with the smart Add-in Utility feature. Printing labels is as easy as "Highlight, Click and Print." Or you can get creative and design your own labels by using the label design software provided. BR500W QL500W



#### **BROTHER QL700 P-TOUCH LABEL MACHINE**

This ultra-fast print-speed, easy to use labelling solution adds a lot of value to a busy office. Print professional barcodes, address & shipping labels, name tags, folder labels at print speeds of up to 91 labels per minute – and directly from Microsoft Word & Excel.

444612 QL700



## BROTHER QL720NW P-TOUCH LABEL MACHINE

This ultra-fast print-speed, easy to use labelling solution adds a lot of value to a busy office. Print professional barcodes, address & shipping labels, name tags, folder labels at print speeds of up to 91 labels per minute – and directly from Microsoft Word & Excel. The QL720NW has wireless connection – so you can share among others in the workplace.

444620 QL720NW



#### **BROTHER QL650TD P-TOUCH LABEL MACHINE**

Whether you need one label or lots of labels the QL650TD is perfect for printing address and shipping labels, name badges and even banners and signage by printing on continuous tape. When the QL650TD is disconnected from the computer, users can print from the 8 pre-set label designs or 10 custom label designs. Print 'Date of Production' labels, 'Best Before' labels and 'Inspection' labels for medical, laboratory, retail, food, warehousing, manufacturing and production use. By connecting straight to your PC/Mac, the QL650TD with built-in automatic cutter can print photos, logos and barcodes in one simple step by using the software provided. You can now print labels direct from Word, Excel and Outlook with the smart Add-in Utility feature. Printing labels is as easy as 'Highlight, Click and Print'. Or you can get creative and design your own labels by using the label design software provided.

- Windows and Mac compatible
- 300dpi, max print height 59mm
- In-built time and date printing at the touch of a button
- Fastest print speed in its class of 56 labels/min^
- Front panel LCD display showing time, date and message

BR4038 QL650TD



#### **BROTHER QL570 WITH VISITOR MANAGEMENT SOFTWARE**

The VM100KIT visitor badge and management software is the total solution for registering visitors and contractors to your company, issuing high-quality printed visitor badges and the recording of visitor data for later analysis and reporting. With the VM100KIT you receive: The Brother QL570 label printer, VM100 Visitor Badge and Management Software, 1 x DKN55224 paper rolls (to print almost 700 badges), 12 x clip-on plastic badge holders and a handy roll

storage box. It is your company's complete visitor registration system in one easy-to-set-up kit. The software is easy to install and configure, and you can be up and running within minutes. VM100 can be left running in the background of the receptionists PC, available for use as soon as any visitor arrives.

- Quickly sign-in visitors and print a badge in seconds with the Brother QL570 Label
- printer included in the pack
- See at a glance which visitors are signed in
- Design your visitor badge and include a logo if required
- One-click emergency report printing
- Password protection of visitor data

444433 VM100KIT



## SHARP CASH REGISTER

#### SHARP XEA102 CASH REGISTER

- Flash X reporting
- Battery memory protection
- Bill / coin compartment configuration (3 note / 6 coin)
- Small footprint
- Secret code control of Z reset and programming jobs
- 8 departments (5 8 by shift key)
- 80 PLUS for programming automatic price entry
- Drawer with media slot
- Key activated mode switch
- Rounding of cash sales to nearest 5 cents
- 4 tax rates
- 1 foreign exchange key

- Void sale mode
  - Error escape function
  - Dimensions 330 x 363 x 253 mm (w x d x h)
  - XEA102 Sharp Cash Register



## CALCULATORS

Model	Brand	Digits	Style	Print Speed Lines/Second	Кеу Туре	Tax Function	Cost/Sell/ Margin	Adding Machine	Power Source
EL233SB	Sharp	8	Pocket		Rubber				Battery
EL240SAB	Sharp	8	Pocket		Rubber				Battery/Solar
EL123S	Sharp	12	Pocket (Hard Case)		Rubber				Battery/Solar
EL480SR	Sharp	10	Pocket (Wallet Case)		Rubber		•		Battery/Solar
DH-60/DH-60C4	Datexx	8	Handheld		Rubber				Battery/Solar
HC-115	Aurora	8	Handheld		Rubber				Battery/Solar
HC-108X	Aurora	8	Handheld (Fold Cover)		Rubber				Battery
LC210L	Canon	8	Handheld (Hard Case)		Rubber				Battery
LS390H	Canon	8	Handheld (Hard Case)		Plastic				Battery/Solar
DT210	Aurora	8	Desktop		Plastic				Battery/Solar
DT394	Aurora	12	Desktop		Plastic				Battery/Solar
HS1200TS	Canon	12	Desktop		Plastic	•	•		Battery/Solar
TX220TS	Canon	12	Desktop		Plastic	•	•		Battery/Solar
WS1210T	Canon	12	Desktop		Plastic	•			Battery/Solar
LS100TS	Canon	10	Desktop		Plastic	•	•		Battery/Solar
DD-611	Datexx	8	Desktop		Rubber				Battery/Solar
EL124A	Sharp	12	Desktop		Plastic	•			Battery/Solar
EL334FB	Sharp	10	Desktop		Plastic	•			Battery/Solar
EL2128V	Sharp	12	Desktop		Plastic	•			Battery/Solar
EL1611P	Sharp	12	Semi-Desktop Printing	1.4	Plastic	•			Battery (AC Adaptor Optional)
PR600M	Aurora	12	Desktop Printing	1.6	Plastic	•	•		AC
BP37DTS	Canon	12	Desktop Printing	5.6	Plastic	•	•		AC
P23DTSC	Canon	12	Desktop Printing	2.3	Plastic	•	•		Battery (AC Adaptor Optional)
P29DIV	Canon	10	Desktop Printing	3.6	Plastic				AC
EL1801C	Sharp	12	Desktop Printing	2.1	Plastic	•		•	Battery (AC Adaptor Optional)
EL2901RH	Sharp	12	Desktop Printing	2.1	Plastic	•	•	•	AC
EL2630PII	Sharp	12	Desktop Printing	4.8	Plastic	•		•	AC
F717SGA	Canon	4 Lines	Scientific		Plastic (Anti-				Battery/Solar
					Bacterial)				
EL531XHB	Sharp	12 Upper 10 Lower	Scientific		Plastic				Battery

## **POCKET CALCULATORS**

#### SHARP EL233SB CALCULATOR

- Large 8 digit display
- Battery powered
- Basic calculator functions plus memory, square root and percent
- Constant function
- Dimensions 60 x 103 x 8.3mm (w x d x h)
- EL233SB Calculator



#### SHARP EL240SAB CALCULATOR

- 8 digit LCD screen with punctuation
- Twin power (solar cell & battery LR1130 X 1)
- Large screen display
- Slant display for easy viewing
- Large keys
- Decimal point select
- Last answer recall
- Dimensions 71 x 116 x 16.5mm (w x d x h) EL240SAB Calculator



### SHARP EL123S CALCULATOR

- Large 12 digit display
- Dual power with auto power off
- Hard case for extra durability
- Calculator functions plus memory, square root and percent
   Tax +/-
- Dimensions 72 x 115 x 12mm (w x d x h)

EL123S Calculator



#### SHARP EL480SR CALCULATOR

- 10 digit LCD screen with punctuation
- Twin power (solar cell & battery LR1130 x 1)
- Large screen display
- Cost-sell-margin function, ideal for business transactions
- Handy mark-up function
- Square root and sign change keys
- Stylish metal cabinet
- Compact wallet to protect calculator
- Dimensions 69 x 119 x 7.1mm (w x d x h) EL480SR Calculator

## HANDHELD CALCULATORS

## DATEXX DUAL POWER HAND HELD CALCULATORS

- 8 Digit display
- Rubber keys
- Four function Memory Addition, subtraction, recall and clear.
- Colourful, light weight design
- Battery saving auto-off after 7min inactivity
- **110530** DH-60
- **110531** DH-60C4 Assorted Colours





AURORA HC-108X CALCULATOR

#### AURORA HC-115 ADJUSTABLE WALLET CALCULATOR

Dual powered – solar and battery. All metal adjustable tilt display and body. Protective wallet included. Square root key for school work and mark-up (MU) key. Soft touch rubber keys. Auto power off.

Folded size 114 x 69 x 8mm.

110750 HC-115



#### CANON LC210L CALCULATOR

- Large 8 Digit LCD Display
- Unique 360° upward folding protective hard cover
- Battery power with 5000hrs of use (one alkaline battery)
- Modern colour and design with two-tone finish
- Auto constant function
- Auto power saving function
- Dimensions: 59 x 97 x 10mm
- Weight: 40g
- 555395 LC210L



## 

Unique fold-over hardcase design with eight digits and display. Metric conversion

chart, square root keys for school work. Soft touch rubber keys, auto power off.

#### CANON LS390H CALCULATOR

• Large 8 Digit LCD Display

Folded size 94 x 56 x 10mm.

110754 HC-108X

- Unique 360° upward folding protective hard cover
- Large plastic keys
- Memory function
- Sign change key
- Automatic constant function
- Dimensions: 73.5 x 119.5 x 11.5mm
- Weight: 62g
- 555396 LS390H



## **DESKTOP CALCULATORS**

#### AURORA DT210 DUAL POWER CALCULATOR

Dual powered – solar and battery. Ergonomic design body and keys. Square root key for school work and change sign (+/-) key. Auto power off. Size 124 x 94 x 23mm. **110700** Desktop DT210



### AURORA DT394 DUAL POWER CALCULATOR

Extra big number 12 digits and display. Adjustable display. Dual powered – solar and battery. Rounding function selector. Auto power off. Size 165 x 109 x 33mm. **110702** Desktop DT394



## 240

**Business Machines** 

## CANON HS1200TS CALCULATOR

- Large 12 Digit LCD Display, angled upright
- Cost / Sell / Margin calculation
- Tax Calculation
- Convenient Grant Total memory
- Key roll over function
- Dual powered (Solar/Battery)
- Dimensions: 126 x 175 x 30mm
- Weight: 172g
- 555392 HS1200TS



### **CANON WS1210T CALCULATOR**

- Large 12 Digit LCD Display, adjustable tilt
- Computer keyboard style keys for fast, accurate keying
- Decimal point selector
- Back-Space key
- Grand Total memory •
- Square Root & Percentage Functions
- Dual powered (Solar/Battery backup)
- Dimensions: 200 x 150 x 40mm
- Weight: 240g 555394 WS1210T



### DATEXX DUAL POWER DESKTOP CALCULATOR

#### • Large 8 Digit display

- Large Rubber keys
- Four function Memory Addition, subtraction, recall and clear.
- Lightweight desktop/handheld design
- · Battery saving auto-off after 7min inactivity
- 110545 Dual Power Desktop DD-611



### SHARP EL334FB CALCULATOR

- Large 10 digit LCD screen with punctuation
- Twin power (solar cell & battery) with auto power off
- Tax +/-
- · Easy-grip side protection strips
- Kick stand to adjust viewing angle
- Constant function
- 239703 Calculator EL334FB



### **CANON TX220TS CALCULATOR**

- Large 12 Digit LCD Display, adjustable tilt
- Tax calculation
- Cost / Sell / Margin calculation
- Memory, percentage and square root functions
- Backspace and sign change keys
- Dual powered (Solar/Battery)
- Dimensions: 145 x 145.5 x 30mm
- Weight: 166g
- 555393 TX220TS



#### **CANON LS100TS CALCULATOR**

- Dual power (solar/battery backup)
- 10 digit LCD screen (tilt display) with punctuation
- Tax calculation
- Cost-Sell-Margin functions
- Large and durable plastic keytops
- Dimensions: 135x103x32mm (w x d x h)

555372 LS100TS



#### SHARP EL124A CALCULATOR

- Large 12 digit display
- Dual power with auto power off
- 3 digit punctuation
- Tiltable display
- Constant function
- 2 key roll-over
- Tax +/-
- Square root function
- Dimensions 102 x 148 x 15mm
- $(w \times d \times h)$



#### SHARP EL2128V CALCULATOR

- Large 12 digit LCD screen with punctuation and function symbols
- Tilt display allows screen to be adjusted to best viewing angle
- Kick stand which makes key-in more comfortable
- GT function which automatically accumulates totals
- Resume Plus, which resumes calculation in progress after auto power off, plus line counter and condition symbol
- Answer check function
- Tax +/-
- Day/date function
- Dimensions 140 x 197 x 26.5mm  $(w \times d \times h)$
- EL2128V Calculator



EL124A Calculator

## **DESKTOP PRINTING CALCULATORS**

### SHARP EL1611P CALCULATOR

- 12 digit LCD screen with punctuation
- Efficient 1.4 lines / second printing speed
- Battery or electric operation via optional AC adaptor •
- Large screen display •
- Internal or external paper roll supply •
- . Tax function
- Dimensions 96 x 191 x 40mm (w x d x h) •

**CANON BP37DTS CALCULATOR** 

- EL1611P Calculator
- EA732 Ink Roller
- EA28A AC Adaptor

• 12 Digit large LCD display

Tax Calculation

555389 BP37DTS

• Cash change function

Bubble-jet printing technology

• Prints up to 5.6 lines / second

• Cost / Sell / Margin calculation

555400 Cartridge CJ3AII Black



### AURORA PR600M PRINTING CALCULATOR

12 digit LCD display. Prints 1.6 lines per second. COST, SELL, MARGIN keys. Metric conversion settings. '00' key for faster calculations. Programmable tax function. Decimal and rounding function. Print/non-print function. Paper roll installs inside or outside of case. AC/DC power adaptor included. Uses NR40 ink roller.

Size 48 x 96 x 206mm. 110781 PR600M



#### CANON P23DTSC CALCULATOR

- 12 Digit palm size printing calculator
- Dual power operation (Adaptor AD35 -
- SKU555397 or 4 x AA batt) Tax calculation - Will add or subtract a predetermined tax rate, ideal for GST
- Cost / Sell / Margin calculation
- Currency conversion function
- Non-add function allows input of dates and serial numbers
- Dimensions: 237 x 155 x 55mm
- Weight: 410g

555390 Calculator P23DTSC

555450 Ink Roller CP13II 555397 AD35 Adaptor





#### **CANON P29DIV CALCULATOR**

- Easy to read fluorescent display
- Two colour print-out (black for positive, red for negative figures)
- . Currency conversion
- Double injection keys No more wearing off of numbers
- . 3.6 lines / second print speed
- Powered by AC mains
- Dimensions: 190 x 294 x 69mm
- Weight: 1200g
- 555391 Calculator P29DIV 555451 Ink Ribbon MPRIBBON



#### SHARP EL1801C CALCULATOR

- 12 digit LCD screen with punctuation
- Efficient 2.1 lines / second printing speed
- Battery or electrical operation via optional AC adaptor •
- Large screen display
- Convenient tax keys
- 2 colour printout •
- Dimensions 170 x 231 x 57.5mm (w x d x h)
- EL1801C Calculator
- EA781RBK Ink Roller
- EA28A AC Adaptor



#### SHARP EL2901RH CALCULATOR

- 12 digit blue fluorescent display
- 2 Colour printout, 2.1 lines / second print speed
- Cost / sell / margin calculation
- Grand total and item count functions •
- Rounding selection
- Tax kevs
- Power source AC only
- Professional keyboard for easy typing ٠
- Dimensions 193 x 256 x 62.5mm (w x d x h)

EL2901RH Calculator



**Business Machines** 

## SHARP EL2630PII CALCULATOR

- Large 12 digit display with punctuation
- High speed printing 4.8 lines / second
- AC Power source
- 2 Colour print using twin spool ink ribbon
- GT function which automatically accumulates totals
- 2 key TAX function
- Average and currency conversion keys
- Constant, rounding and item count functions
- Double zero and mark-up keys
- Extra heavy duty office calculator
- Dimensions 228 x 336 x 78mm (w x d x h)
- EL2630PII Calculator

## SCIENTIFIC CALCULATORS

### **CANON F717SGA CALCULATOR**

- 242 Function Scientific Calculator
- Fully approved by the NZQA for use in High schools in New Zealand.
- Calculates complex algorithms at high speeds
- Anti-bacterial surface
- Dual powered (solar/battery backup) •
- Large, 4 line high resolution screen
- Dual Way display Option to input data as it is written in textbooks, or traditionally
- Scientific & Engineering notation
- Memory clear option
- Hard case cover included
- 555373 F717SGA Red
- 555374 F717SGA Blue 555375 F717SGA Black

## SHARP EL531XHB CALCULATOR

- Identical in operation and functionality to the EL531WH models
- Large, high resolution, 2 line LCD screen with upper 12 digit (5x7 dot matrix)/lower 10 digit (mantissa)
- + 2 (exponent) digit
- Up to 272 scientific and statistical functions
- Battery operated (AAA x 1)
- Advanced Direct Algebraic Logic (D.A.L.) for easy equation and answer checking
- Functions include multi-line playback. Constant, fraction, chain and n-Base calculations
- Easy slide-on hard cover to protect calculator from damage
- Dimensions 86 x 160 x 18mm (w x d x h)
- 239700 EL531XHBWH White
- 239701 EL531XHBPK Pink





## **CANON SCANNERS**

#### **CANON LIDE110 SCANNER**

Amazingly slim, yet loaded with features. You can expect impressive results from this 2400 x 4800 dpi optical resolution, 48-bit colour scanner. Scan an image, or create an email attachment, PDF file or colour copy in just one step. With the CanoScan LiDE 110 great results and easy operation come together in a stylish and compact design.

- 48-bit scanning gradation
- High quality scanning up to 2400 x 4800 dpi
- 4 one touch buttons Scan / Copy / PDF / E-mail for easy operation
- Advanced Z-Lid and scanning in the upright position

555346 LIDE110





**Business Machines** 

#### **CANON LIDE210 SCANNER**

Ultra fast and amazingly slim, yet loaded with features. You can expect impressive results from this 4800 x 4800 optical dpi resolution, 48-bit colour scanner. Scan an image, or create an email attachment, PDF file or colour copy in just one step. With the CanoScan LiDE210 great results and easy operation come together in a stylish and compact design.

- 48-bit scanning gradation
- High quality scanning up to 4800 x 4800 dpi
- 5 one touch buttons Scan / Copy / PDF / E-mail for easy operation
- Advanced Z-Lid and scanning in the upright position
- High speed interface for fast data transfer

555347 LIDE210



#### **CANON LIDE700F SCANNER**

Featuring 9600 X 9600 dpi resolution and USB 2.0 Hi-Speed connection, the CanoScan LiDE 700F delivers brilliant, fast scans with high definition and amazing contrast. Scan Film, photos and documents.

- 48-bit scanning gradation
- High quality scanning up to 9600 x 9600 dpi
- Advanced Z-Lid and scanning in the upright position
- Automatic dust & scratch, fading and graininess correction
- 4 one touch buttons Scan / Copy / PDF / Email for easy operation

• Instant Warm Up

555348 LIDE700F



#### CANON CS5600F SCANNER

Featuring 4800dpi resolution and high speed USB 2.0 speed connection, the CanoScan 5600F delivers brillant, fast scans at extremely high resolutions with its white LED scanning. Scan Slides, Film, Photos and Documents.

- 48-bit scanning gradation
- High quality scanning up to 4800 x 9600 dpi
- Fast book scanning with preview in 3 seconds
- Automatic dust & scratch, fading and graininess correction
- 7 one touch buttons Scan / Copy / PDF / E-mail for easy operation
- Instant Warm Up
- 555349 CS5600F



#### CANON CS9000F SCANNER

With a USB 2.0 Hi-Speed interface, the CanoScan 9000F can capture reflective prints, 35mm negatives and slides at extremely high resolutions.

- 48-bit scanning gradation
- High quality scanning up to 9600 x 9600 dpi
- Fast book scanning at 7 seconds
- Automatic dust & scratch, fading and graininess correction
- 7 one touch buttons Scan / Copy / PDF / E-mail for easy operation
- Instant Warm Up

555350 CS9000F



#### FELLOWES SHREDDERS

## WHY SHRED?

Identity theft occurs when an individual's or company's personal or confidential information is obtained and used by another person without their knowledge. Identity fraud happens when criminals use this information fraudulently to obtain credit, goods or other services in that person's or company's name.

## **HOW DOES IDENTITY FRAUD HAPPEN?**

Every day you deal with thousands of pieces of information: reports, business plans, financial data, customer pricing, names and addresses, credit card details, etc. Identity thieves will "raid" your rubbish bin to steal this information - they may even steal your bin bags to rummage through them at their leisure. It's faster, easier and can be even more lucrative than burglary. To a fraudster the information you throw out is worth its weight in gold.

Identity theft continues to rise at an astounding rate. It's not only individuals that are putting themselves at risk, but also businesses and organisations putting their customers and employees at risk by not disposing of personal information securely. All countries have data protection legislation in place to ensure that companies dispose of documents safely and securely. But businesses should also consider the prospect of damaging their business and losing customer confidence by not disposing of information securely and therefore putting people at risk.

THE SOLUTION? Shred anything you wouldn't want in the hands of a stranger.

## WHAT TO SHRED?

Every piece of paper or document that contains some form of information or data that may be of use to criminals, fraudsters or competitors should be shredded before it is thrown in the bin or recycled. Confidential documents are obvious and the people who have access to them will be aware of their importance and how to dispose of them. It's the pieces of information that don't seem important which are likely to slip through the net.

#### PERSONAL DOCUMENTS

- Bank / Credit card statements
- Credit / Debit card receipts
- Utility bills
- Voided / cancelled cheques
- Documents showing signatures
- Tax returns

#### COMPANY DOCUMENTS

- Client lists
- Salary details
- Sales figures
- Financial reports
- Personnel files / CVs
- Patent information
- Medical records
- Legal documents
- Letter-headed paper



## **BENEFITS OF ON-SITE SHREDDING:**

#### **ON-SITE SHREDDING IS MORE SECURE**

- Peace of mind, knowing your sensitive data is destroyed into completely unreadable particles in front of your own eyes
  Ability to see the shredding process and have confidence that the job is complete
- Documents to be shred by a shredding service often pass through several people over great distances before being destroyed thus subjecting them to countless opportunities for information theft in full, readable pages

#### **ON-SITE SHREDDING IS LESS COSTLY**

- With the right-size shredder for your volume needs, shredding often requires only minutes per day and does not require extra labour costs
- Shredders are a one-time investment that lasts many years
- Shredding services costs are ongoing and add up significantly over time

#### ON-SITE SHREDDING IS MORE CONVENIENT

- Shredding at the source is more convenient and more secure by allowing you to get the job done right away
- Compliant with security legislation requiring document destruction
- Available in a variety of security levels to meet your needs

#### ON-SITE SHREDDING IS MORE ENVIRONMENTALLY FRIENDLY

• Shredding services add more fuel-consuming, carbon-emitting and traffic-congesting trucks on the road

#### **ON-SITE SHREDDING - THE LOGICAL CHOICE!**

Do you really know what happens to your sensitive documents once the shredding services bin leaves your office? Can you be 100% sure?

Would you put your own highly confidential personal information into a shredding services bin?

## **CHOOSING THE RIGHT SHREDDER**

Some people think that sheet capacities and bin capacities are the best way to select a shredder. But does sheet capacity indicate a shredder's performance? No - because most people shred twice as much as they think they do. And although some shredders offer high sheet capacities, they may not run very long which limits the amount of paper they will shred.

Fellowes® have made selecting the right model easy because the shredders are already segmented according to their run-times; Personal shredders run from 2 to 45 minutes. Commercial shredders will shred continuously for the disposal of large volumes of paper. So all you have to do to select the right Fellowes<sup>®</sup> shredder is to answer the following questions.

### **1. WHERE WILL THE SHREDDER BE USED?**

- Commercial (medium office 1-5 users and small office 1-3 users)
- Personal (professional 1-3 users, desk side 1 user and home 1 user)

## 2. WHAT LEVEL OF SECURITY IS REQUIRED?

Shredders are also segmented into security categories called DIN levels. The higher the DIN level the better the protection. The panel below depicts the different DIN levels available on Fellowes<sup>®</sup> Shredders.





# **STRIP CUT : DIN 2**

**EVERYDAY 5.8mm strips** Cuts 1 piece of A4 paper into 36 pieces



STRIP CUT : DIN 1

**BASIC 7mm strips** Cuts 1 piece of A4 paper into 30 pieces

## THE SUPERIOR BREED

Over the past ten years, the business world and household consumer have grown more conscious of the crucial need to shred confidential information. During this time the market has been flooded with low-cost shredders which do not stand up to the rigours of document destruction. Making a shredder that will perform under periods of significant usage and do this year after year are not the performance criteria of many shredder manufacturers.

Our promise to you is supported by a commitment to offer the most innovative solutions, exceptional product quality, and first class service and support. These fundamental principles quide our effort to ensure continued satisfaction with every Fellowes<sup>®</sup> shredder used.

## **OUR DEVELOPMENT APPROACH**

At Fellowes<sup>®</sup> we set high performance criteria. We own and control all aspects of product development, engineering, testing and manufacturing. We specify and build only the highest quality components which are produced, assembled and tested with pride by our experienced manufacturing teams.

## **EXPERIENCE THE FELLOWES DIFFERENCE**

### **OUR QUALITY PROCESS**

There's a reason Fellowes<sup>®</sup> shredders are #1 worldwide. We understand that shredders should work properly the first time, every time. That's why Fellowes<sup>®</sup> drives quality assurance to exceed expectations.

Prior to launch, all Fellowes<sup>®</sup> shredders are subjected to extensive field and laboratory tests including our proprietary continuous abuse test and long-term wear. These tests simulate years of abnormally high use to ensure our products perform reliably, even under the most demanding conditions.

### **CONSUMER EXPERIENCE**

As the market leader in shredders for over twenty years, Fellowes<sup>®</sup> is dedicated to improving all aspects of the shredding experience. Our higher standards ensure you get the most reliable shredder you can buy. We believe that is one of the reasons people worldwide trust the Fellowes® brand more than any other on the market. In fact, Fellowes® shredder owners are highly satisfied with their purchase and appreciate the Fellowes® difference as seen on our highly rated customer reviews at fellowes.com/reviews.

#### FELLOWES P20 SHREDDER

- Home Shredder: 1 user
- 220mm (A4) entry throat
- Auto-start and reverse maximizes ease of use
- Run time: 2 min on / 25 min off
- 1 year full warranty

**Business Machines** 

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds
236101	5	Strip Cut	1	11L	7mm	



#### **FELLOWES P35C SHREDDER**

Home Shredder: 1 user

- 220mm (A4) entry throat
- Auto-start and reverse maximizes ease of use
- Run time: 2 min on / 25 min off
  1 year full warranty / 3 year cutter warranty

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds	
236120	8	Cross Cut	3	12L	3.9x40mm	Staples, Credit Card	





#### **FELLOWES P48C SHREDDER**

Home Shredder: 1 user

- 230mm (A4) entry throat
- Auto start and reverse
- Easy lift head for clean and easy emptying
- Run time: 3 min on / 15 min off
- Warranty: 2 year machine / 3 years cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds
236624	8	Cross Cut	3	18L	3.9x50mm	Staples, Credit Card



#### FELLOWES P58Cs SHREDDER

Home Shredder: 1 user

AFETY OCK

- 230mm (A4) entry throat
- Auto start and reverse
- Easy lift head for clean and easy emptying
- Run time: 3 min on / 15 min off
  Warranty: 2 year machine / 5 years cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds
236645	9	Cross	3	22L	3.9 x 50mm	Staples, Credit Cards





#### FELLOWES DS1 SHREDDER

#### Home Shredder: 1 user

- 230mm (A4) entry throat
- Electronic auto start and reverse

11

- Stylish metal pedal bin acts as pull out waste basket
- Run time: 4-5 min on / 20 min off
- Warranty: 2 year full / 5 year cutter

Shreds



236640

## **FELLOWES DESKSIDE SHREDDERS**

Croxley Sku Sheet Capacity Cut Type Security Level Bin Capacity Cut Size

3

18L

Cross Cut

#### **FELLOWES PS12CS SHREDDER**

Personal home office use: 1 user

- 230mm (A4) entry throat
- Auto start & reverse
- Slim design for easy storage
- SafeSense® Technology •
- Run time: 4-5 min on / 20 min off
- Warranty: 2 years machine / 5 years cutters
- Croxley Sku Sheet Capacity Cut Type Security Level Bin Capacity Cut Size Shreds

-			-			
236634	12	Cross Cut	3	15L	3.9x50mm	Staples, Paper Clips, Credit Card



#### **FELLOWES 59Cb SHREDDER**

Personal home office use: 1 user

- 230mm (A4) entry throat
- Auto start & reverse
- Pull-out bin

DCK

- SafeSense® Technology ٠
- Run time: 5 min on / 20 min off
- Warranty: 2 years machine / 5 years cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds
236702	9	Cross	3	15L	3.9 x 50mm	Staples, Credit Cards



## FELLOWES MS450Cs SHREDDER

JAM

Personal	home	office	use:	1	user

- 230mm (A4) entry throat
- Electronic auto start and reverse
- Up to 10 minute duty cycle
- Run time: 8-10 min on / 15 min off
- Warranty: 2 year manufacturers / 5 year cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds
236638	9	Microshred Cross	4	20L	2 x 8mm	Staples, Paperclips, Credit Cards, CD / DVDs







**Business Machines** 

#### FELLOWES 70s SHREDDER

#### Personal deskside use: 1 user

- 230mm (A4) entry throat
- Auto start and reverse
- Sheet capacity gauge
- Indicator lights
- Separate throat for CD entry
- Run time: 10-12 min on / 20 min off
- Warranty: 2 years machine / 5 years cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shr
236704	14	Strip	2	27L	5.8mm	Sta

reds aples, Paperclips, Credit Cards, CD / DVDs

Credit Cards, CD / DVDs





#### FELLOWES 75Cs SHREDDER

Personal deskside use: 1 user

- 230mm (A4) entry throat
- Auto start and reverse
- Sheet capacity gauge
- Indicator lights
- Run time: 10-12 min on / 20 min off
- Warranty: 2 years machine / 5 years cutters Croxley Sku Sheet Capacity Cut Type Security Level Bin Capacity Cut Size Shreds 236705 12 Cross 3 27L 3.9 x 38mm Staples, Paperclips,





## FELLOWES PROFESSIONAL SHREDDERS

#### **FELLOWES 79Ci SHREDDER**

- Personal deskside use: 1 user
- 230mm (A4) entry throat
- Auto start and reverse
- Indicator lights
- Castors
- Run time: 12 min on / 20 min off
- Warranty: 2 years machine / 5 years cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity
236706	14	Cross	3	23L
	Si	lentShred <sup>™</sup> Performance		

#### **FELLOWES 99Ci SHREDDER**

Personal Professional use: 1-3 users

100%

- 230mm (A4) entry throat
- Auto start and reverse
- Indicator lights
- Castors
- Run time: 25 min on / 40 min off • Warranty: 2 years machine / 5 years cutters

Croxley SkuSheet CapacityCut TypeSecurity LevelBin CapacityCut SizeShreds23670717Cross334L3.9 x 38mmStaples, Paperclips, Credit Cards		, ,	5				
236707 17 Cross 3 34L 3.9 x 38mm Staples, Paperclips, Credit Cards	Croxley S	u Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds
	236707	17	Cross	3	34L	3.9 x 38mm	Staples, Paperclips, Credit Cards,

**Cut Size** 

3.9 x 38mm

Shreds

Staples, Paperclips,

Credit Cards, CD / DVDs



CD / DVDs



## FELLOWES COMMERCIAL SHREDDERS

#### FELLOWES 125Ci SHREDDER

- Commercial Small Office Use: 1-5 users
- 230mm (A4) entry throat
- Eco-bin: separate CD waste bin
- Electronic auto start and reverse
- Run time: 45 min
- Warranty: 2 years machine / 20 years cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size
236708	18	Cross	3	53L	3.9 x 38mm

Shreds Staples, Paperclips, Credit Cards, CD / DVDs





#### FELLOWES 225Ci SHREDDER

- Commercial Small Office Use: 1-5 users
- 230mm (A4) entry throat
- Eco-bin: separate CD waste bin
- Electronic auto start and reverse
- Run time: continuous
- Warranty: 2 years machine / 20 years cutters

Croxley Sku	Sheet Capacity	Cut Type	Security Level	Bin Capacity	Cut Size	Shreds
236710	20	Cross	3	60L	3.9 x 38mm	Staples, Paperclips, Credit Cards, CD / DVDs





## FELLOWES SHREDDER ACCESSORIES

#### FELLOWES SHREDDER BAGS

#### For clean & easy waste disposal

Order No	Size	Bag Dimensions	Bag Volume	Qty per Carton
236154	Small	670mm x 1240mm	55	100
236153	Medium	760mm x 1520mm	75	100
236151	Large	895mm x 1600mm	98	50
236152	Extra Large	1260mm x 2040mm	178	50



#### FELLOWES SHREDDER OIL

- Enhances the performance of all cross-cut shredders
- As a general rule, a shredder should be oiled every time the bin is emptied. This can be achieved by squeezing a line of oil directly over the shredder's paper entry and pressing the forward button
- 350ml squeezable bottle
- 236150 Shredder oil



## FELLOWES SHREDDER RANGE

	Model Name Croxley Sku	P-20 236101	P-35C 236120	P-48C 236624	P-58Cs 236645	59Cb 236702	DS-1 236640	MS-450Cs 236638
PERFORMANCE	Group	Home	Home	Home	Home	Home	Home	Deskside
	Number of Users	1	1	1	1	1	1	1
	Daily Usage (Recommended passes per day)	10-20	10-20	10-20	10-20	10-25	10-20	30-50
	Max Recommended Daily Capacity / Sheets	10-20	10-20	160	180	200	220	350
	о і о <i>ї</i> ,							
	Sheet Capacity (A4/70gsm)	5	5	8	9	9	11	7
	Cut Type	Strip	Cross	Cross	Cross	Cross	Cross	Cross
	Cut Size / mm	7	3.9 x 40	3.9 x 50	3.9 x 50	3.9 x 50	3.9 x 35	2 x 8
	Din Level	1	3	3	3	3	3	4
	Throat Width / mm	220	220	225	225	229	230	230
	Average Shred Speed / mpm	5	1.8	3.6	3.6	2.75	4.3	2.7
	Duty Cycle / mins	2 on / 25 off	2 min	3-5 on / 15 off	3-5 on / 15 off	5 on/ 20 off	4-5 on/ 20 off	8-10 on/ 30
	Accepts Staples	No	Yes	Yes	Yes	Yes	Yes	Yes
				No	No	No	Yes	No
	Accepts Paper Clips	No	No					
	Accepts Credit Cards	No	Yes	Yes	Yes	Yes	Yes	Yes
	Accepts CDs	No	No	No	No	No	No	No
INNOVATION	SafeSense™ Technology	No	No	No	Yes	-	Yes	Yes
	100% Jam-Proof Technology	No	No	No	No	Jam Blocker™	No	No
	Energy Savings System™	No	No	No	No	No	No	No
	Turbo Jam	No	No	No	No	No	No	No
	Safety Lock	No	Yes	Yes	No	Yes	No	No
	Sheet Capacity Selector	No	No	Yes	Yes	No	No	No
	Auto Oil	No	No	No		No		No
					No		No	
	SilentShred™	No	No	No	No	No	No	Yes
	Separate Throat for CDs	N/A	N/A	N/A	N/A	No	N/A	N/A
	Separate Waste Compartment for CDs	N/A	N/A	N/A	N/A	No	N/A	N/A
BASIC	Bin Style	Wastebin	Wastebin	Wastebin	Wastebin	Pull Out Bin	Pedal / Pull Out	Pull Out
	Bin Capacity / litres	11	12	18	22	15.3	18	20
	Bin Capacity / sheets	110	150	235	295	200	235	480
	CD Waste Compartment Capacity (CDs)	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	CD Waste Compartment Capacity (litres)	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	Castors	No	No	No	No	No	No	Yes
	Cable Tidy	No	No	No	No	No	No	No
	Easy Lift Head	No	Yes	Yes	Yes	No	No	N/A
	Paper Storage Facility	No	No	No	No	No	No	No
	Storage for Waste Bags & Oil	No	No	No	No	No	No	No
	Safety Cut-Out on Bin Removal	No	Yes	Yes	Yes	Yes	Yes	Yes
	Auto-Stop on Bin Full	No	No	No	No	Yes	No	No
	Bin Full Indicator	No	No	No	No	Yes	No	No
	Door Open Indicator	No	No	No	No	Yes	No	Yes
	Safety Flap for Credit Cards/CDs							
	<b>3</b> 1 ,	No	No	No	No	No	No	No
	Auto Start / Stop	Mechanical	Mechanical	Mechanical	Electronic	Electronic	Electronic	Electronic
	Reverse	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Machine Warranty	1	1	2	2	2	2	2
	Cutter Warranty	1	3	3	5	5	5	5
ECHNICAL	Thermal Overload Protection	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	Thermal Overload Indicator	No	No	No	No	Yes	Yes	Yes
	Motor Size (Watts)		195W			322W	330W	370W
	Jam Protection	No	No	No	No		No	No
	Auto-Stop on Jamming Indicator	No	No	No	No		No	No
	Motor Type	Universal	Universal	Universal	Universal	Universal	Universal	Induction
	Noise Level @ capacity dB	74	70	70	70	70	70	45
DIMENSIONS	Machine Dimensions / mm (H x W x D)	299 x 286 x 153	300 x 322 x 178	348 x 356 x 258	400 x 212 x 360	419 x 264 x 417	554 x 393 x 274	575 x 354 x
	Unit Weight / Kg	1.634	3.34	5.86	6.2	8.3	8.92	16.5
	Retail Dimensions / mm (H x W x D)	276 x 300 x 162	384 x 362 x 214	406 x 412 x 308	452 x 420 x 292	487 x 500 x 348	638 x 434 x 346	620 x 420 x
	Retail Weight / Kg (inc retail packaqing)	1.88	4.2	7.24	7.68	9	10.7	17.2
	Outer Dimensions / mm (H x W x D)	300 x 344 x 610	408 x 378 x 442	434 x 430 x 626	478 x 436 x 600	497 x 363 x 513	664 x 362 x 448	645 x 440 x 3
	, , ,							
	Outer weight / Kg	8.34	9.28	15.66	16.58	10	11.8	17.2
	Quantity per Outer	4	2	2	2	1	1	1
	Oil (Croxley Code)	N/A	236150	236150	236150	236150	236150	236150
SUPPLIES	( ,				226157	236154	236154	236154
SUPPLIES	Bags (Croxley Code)	236154	236154	236154	236154	230134	230134	
		236154 32522	236154 32138	236154 32248	32257	46590	30108	32454
SUPPLIES SPECIFICATIONS		32522		32248	32257	46590		32454

## FELLOWES SHREDDER RANGE

PERSONANCECayoff or cong236074236705236705236705236705PERSONANCENumber of largerNumber of largerSinutprimoreSinutprimoreSinutprimoreSinutprimorePERSONANCENumber of largerNumber of largerSinutprimoreSinutprimoreSinutprimoreSinutprimoreNumber of largerNumber of largerNumber of largerSinutprimoreSinutprimoreSinutprimoreSinutprimoreNumber of largerNumber of largerNumbe	125Ci	225Ci
Number of Lands111	236708	236710
billDisplicit SystemDisplicit System<	ice Commercial	Commercial
Max Recommendable dapale galaxity state702703703703703703703Sheet Quarky (M7)0gm)12053 x 5053 x 5053 x 5053 x 5053 x 5053 x 50Intervit130 x 5053 x 5053 x 5053 x 5053 x 5053 x 5053 x 50Intervit With Juain23 x 50151 x 50 x 100151 x 50 x 100151 x 50 x 100151 x 50 x 100151 x 50 x 100Accepts Sharpforg16x x 100 x	1-5	3-5
Sheet Capacity (A/709am)12141714171416Cat Size / mmDisa x0Ship CatDoso-Cat0.95 x300.95 x300.95 x300.95 x30Din Level3.9 x 302.03.33.33.30.80.95 x30Huard Wild / mm4.50 x30 ml10-12 on / 20 ml10-12 on / 20 ml0.95 x00 ml0.95 x00 mlAverage Sined Space / mpm4.50 x30 ml10-12 on / 20 ml10.95 x00 ml0.95 x00 ml0.95 x00 mlAverage Sined Space / mpm4.50 x30 ml10-12 on / 20 ml10.95 x00 ml0.95 x00 ml0.95 x00 mlAccepts Stapies4.50 x30 ml10-12 on / 20 ml10.95 x00 ml0.95 x00 ml0.95 x00 ml0.95 x00 mlAccepts Space Capticy Selection10.95 x00 ml10.95 x00 ml1000 Jam Proof Echonology10.0110.0110.0110.0110.0110.0110.0110.0110.0110.011000 Jam Proof Echonology10.01	6-00	9-00
Or. TypeCors. Single Cass. Cors. Cass. Ca	3000	5000
IntervalSub<	18	20
Din Level32333Trivest Wirkth / more2302302302302303.50	Cross-Cut	Cross-Cut
Interf With / mm2302302302302303	3.9 x 38	3.9 x 38
Average Sheed yeaps33,53,53,53,63,6Duty Cycle // nino< 4-5 on 7 00 f0	3	3
bitConstraintCons	230	240
bitConstraintCons	4.9	4.9
Accepts StaplesYe	45 min	Continuous
Accepts Paper ClipsYesYesYesYesYesYesYesAccepts ColsNoYesYesYesYesYesYesINNOVITONSarSesner" TechnologyYesNo <t< td=""><td>Yes</td><td>Yes</td></t<>	Yes	Yes
Accepts Cardit CardsYes<	Yes	Yes
Accepts CDsNoisYesYesYesYesYesYesYesYesYesYesYesYesYesYesYesYesYesYesNois	Yes	Yes
NNOVITION     SafeSense" Technology     Yes     No	Yes	Yes
100% Jam-Proof TechnologyNoNoNoNoNoNoNoNoEnergy Saving System"NoNoNoNoNoNoNoNoSafety LockYesNoNoNoNoNoNoNoNoAlto DilNo <t< td=""><td>Yes</td><td>Yes</td></t<>	Yes	Yes
Energy Savings SystemNoNoNoNoNoNoNoTurbo JamNoNoNoNoNoNoNoSafety LockYesNoNoNoNoNoNoSheet Capacity SelectorNoNoNoNoNoNoNoAuto OitNoNoNoNoNoNoNoNoSeparate Throat for CDsN/ANoNoNoYesYesSeparate Waste Compartment for CDsN/ANoNoNoYesYesBin Capacity / Litres1526.525.5233434Di Capacity / Javies1526.525.52.52.52.52.5Co Waste Compartment Capacity (Litres)N/AN/AN/AN/A2.52.52.5CatorsNo <td>Yes</td> <td>Yes</td>	Yes	Yes
Turbe JamNoNoNoNoNoNoNoSafety LockYesNoNoNoNoNoAuto OilNoNoNoNoNoNoNoJetter Capacity SelectorNoNoNoNoNoNoNoSaparate Throat for OisN/AYesYesNoNoNoYesYesBASICBin SylePull OutNull Out BinPull Out Bin <t< td=""><td>Yes</td><td>Yes</td></t<>	Yes	Yes
Safety LockYesNo	No	No
Sheet Capacity SelectorNo	Yes	Yes
Auto OllNo	No	No
SilentShred"NoNoNoYesYesNoSeparate Waste Compartment for CDsN/AYesYesNo <td></td> <td></td>		
Separate Throat for CDsN/AYesYesNoSeparate Waste Compartment for CDsN/ANoNoYesYesBASICBin StylePull Out BinPull Out BinPull Out BinPull Out BinPull Out BinBASICBin Capacity / Ittres1526.5026.00370320.00450.00CD Waste Compartment Capacity (IDts)N/AN/AN/AN/A50.0050.00CD Waste Compartment Capacity (IDts)N/AN/AN/ANA50.0050.00CastorsNoNoNoNoNoNoNoNoNoPaper Storage FacilityNo <td>No Yes</td> <td>No</td>	No Yes	No
Separate Waste Compartment for CDsV/ANoNoYesYesBASICBin StylePull OutPull Out BinPull Out BinPull Out BinPull Out BinBin Capacity / litres1526.526.52346Di Capacity / litres1526.526.52350CD Waste Compartment Capacity (ODs)N/AN/AN/A1/A5050CD Waste Compartment Capacity (Itres)N/AN/AN/AN/A2.52.5Cable TidyNoNoNoNoNoNoNoNoCable TidyNoNoNoNoNoNoNoNoNoPaper Storage For Waste Bags & OilNoNoNoYesYesYesYesYesSafety Cut-Out on Bin RemovalYesYesYesYesYesYesYesYesYesYesYesDoor Open IndicatorYes <td></td> <td>Yes</td>		Yes
BASICBin StylePull OutPull OutBinPull Out BinPull Out Bin <th< td=""><td>No</td><td>Yes</td></th<>	No	Yes
Bin Capacity / litres1526.526.52334Bin Capacity / sheets195280370320450CD Waste Compartment Capacity (Ds)N/AN/AN/AS050CD Waste Compartment Capacity (Utres)N/AN/AN/AN/A2.52.5CatorsNoNoNoNoNoNoNoNoNoCable TidyNo	Yes	
Bin Capacity sheets195280370320450CD Waste Compartment Capacity (CDS)N/AN/AN/A5050CD Waste Compartment Capacity (Litres)N/AN/AN/A2.52.5Cable TidyNoNoNoYesYesYesCable TidyNoNoNoNoNoNoNoNoEasy Lift HeadN/ANo <td>Pull Out Bin</td> <td>Pull Out Bin</td>	Pull Out Bin	Pull Out Bin
CD Waste Compartment Capacity (UDs)N/AN/AN/AN/AS0S0CD Waste Compartment Capacity (litres)N/AN/AN/AN/A2.52.5CastorsNoNoNoNoNoNoNoEasty Lift HeadN/ANoNoNoNoNoNoPaper Storage FacilityNoYesYesNoNoNoNoStorage for Waste Bags & GilNoNoNoNoYesYesYesYesYesYesVato-Storo Bin FullNoYes <t< td=""><td>53</td><td>60.6</td></t<>	53	60.6
CD Waste Compartment Capacity (litres)N/AN/AN/AN/A2.52.5CastorsNo <td>750</td> <td>785</td>	750	785
CastorsNoNoNoNoNoNoNoNoNoNoCable TidyNONONONONONONONONONOEasy Lift HeadN/ANONONONONONONONONOPaper Storage FacilityNONONONONONOYes </td <td></td> <td></td>		
Cable TidyNoNoNoNoNoNoNoEasy Lift HeadN/ANoNoNoNoNoPaper Storage FacilityNoYesYesNoNoNoStorage for Waste Bags & OilNoNoNoNoYesYesYesSafety Cut-Out on Bin RemovalYesYesYesYesYesYesYesAuto-Storo Din FullNoYesYesYesYesYesYesDoor Open IndicatorYesYesYesYesYesYesYesDoor Open IndicatorYesYesYesYesYesYesYesAuto Start / StopElectronicYesYesYesYesYesYesReverseYesYesYesYesYesYesYesYesMachine Warranty22222YesYesTermal Overload ProtectionYesYesYesYesYesYesTermal Overload IndicatorYesYesYesYesYesYesMator Size (Watts)YesYesYesYesYesYesYesJam ProtectionNoNoNoNoNoYesYesYesDiffer Guadity dBNoNoNoNoYesYesYesYesUnit Weight / KgAsaRatin Binensins / mm (H x W x D)406 x222 x42S14 x381 x266S14 x382S13 x	1	1
Easy Lift HeadN/ANoNoNoNoNoPaper Storage FacilityNoYesYesNoNoNoNoStorage for Waste Bags & OilNoNoNoNoYesYesYesSafety Cut-Out on Bin RemovalYesYesYesYesYesYesYesYesAuto-Stop on Bin FullNoYesYesYesYesYesYesYesYesBin Full IndicatorNoYesYesYesYesYesYesYesYesYesDoor Open IndicatorYesYe	Rear Only	Yes
Paper Storage FacilityNoYesYesNoNoStorage for Waste Bags & OilNoNoNoYesYesYesSafety Cut-Out on Bin RemovalYesYesYesYesYesYesYesAuto-Stop on Bin FullNoYesYe	No	No
Storage for Waste Bags & OilNoNoNoYesYesSafety Cut-Out on Bin RemovalYesYesYesYesYesYesYesAuto-Stop on Bin FullNoYesYesYesYesYesYesYesBin Full IndicatorNoYesYesYesYesYesYesYesDoor Open IndicatorYesYesYesYesYesYesYesYesSafety Flap for Credit Cards/CDsNoNoNoNoYesYesYesYesAuto Start / StopElectronicYes <td< td=""><td>No</td><td>No</td></td<>	No	No
Safety Cut-Out on Bin RemovalYesYesYesYesYesYesYesAuto-Stop on Bin FullNoYesYesYesYesYesYesYesBin Full IndicatorNoYesYesYesYesYesYesYesDoor Open IndicatorYesYesYesYesYesYesYesYesYesSafety Flap for Credit Cards/CDsNoNoNoNoYes	No	No
Auto-Stop on Bin FullNoYesYesYesYesYesBin Full IndicatorNoYes <t< td=""><td>No</td><td>No</td></t<>	No	No
Bin Full IndicatorNoYes	Yes	Yes
bor Open IndicatorYesYesYesYesYesYesYesSafety Flap for Credit Cards/CDsNoNoNoNoYesY	Yes	Yes
Safety Flap for Credit Cards/CDsNoNoNoYesYesYesAuto Start / StopElectronicYesYesYesYesYesYesReverseYesYesYesYesYesYesYesYesYesMachine Warranty22222222Yes <td< td=""><td>Yes</td><td>Yes</td></td<>	Yes	Yes
Auto Star / Stop         Electronic         Yes         Yes         Yes         Yes           Reverse         Yes         Yes         Yes         Yes         Yes         Yes           Machine Warranty         2         2         2         2         2         2         2           Cutter Warranty         5         5         5         5         5         5         5           TECHNICAL         Thernal Overload Protection         Yes         Yes <td>Yes</td> <td>Yes</td>	Yes	Yes
ReverseYesYesYesYesYesYesYesMachine Warranty22	Yes	No
Machine Warranty2222222Cutter Warranty5555555TECHNICALThermal Overload ProtectionYesYesYesYesYesYesYesThermal Overload IndicatorYesYesYesYes225225345YesMotor Size (Watts)NoNoNoYes	Electronic	Electronic
Cutter Warranty555555TECHNICALThermal Overload ProtectionYesYesYesYesYesYesThermal Overload IndicatorYesYesYesYesYesYesYesMotor Size (Watts)YesYesYesYesYesYesYesJam ProtectionNoNoNoNoYesYesYesAuto-Stop on Jamming IndicatorNoNoNoNoYesYesMotor TypeUniversalInductionInductionInductionInductionNoise Level @ capacity dB70706565DIMENSIONSMachine Dimensions / mm (H x W x D)406 x 22 x 432514 x 381 x 286514 x 381 x 286505 x 390 x 365640 x 440 x 290Unit Weight / Kg8.8TBD12.212.816.3683 x 508 x 36871 x 34 x 455683 x 508 x 368Retail Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Outer Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Outer Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Outer Weight / Kg10.6TBD14.416.422Quantity per Outer11111SUPPLIESOil (Croxley Code)236150236154<	Yes	Yes
TECHNICALThermal Overload ProtectionYesYesYesYesYesYesThermal Overload IndicatorYesYesYesYesYesYesYesMotor Size (Watts)225225225345Jam ProtectionNoNoNoYesYesAuto-Stop on Jamming IndicatorNoNoNoYesYesMotor TypeUniversalInductionInductionInductionInductionNoise Level @ capacity dB70706565DIMENSIONSMachine Dimensions / mm (H x W x D)406 x 222 x 432514 x 381 x 286514 x 381 x 286505 x 390 x 365640 x 440 x 290Unit Weight / Kg8.8TBD12.212.816.3Retail Dimensions / mm (H x W x D)464 x 265 x 471478 x 398 x 288478 x 398 x 288571 x 334 x 455683 x 508 x 368Quter Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Quantity per Outer111111SUPPLIESOil (Croxley Code)236150-236150236154236154236154236154236154	2	2
Thermal Overload Indicator         Yes         Yes </td <td>20</td> <td>20</td>	20	20
Motor Size (Watts)225225225225345Jam ProtectionNoNoNoNoYesYesAuto-Stop on Jamming IndicatorNoNoNoYesYesMotor TypeUniversalInductionInductionInductionInductionInductionNoise Level @ capacity dBT7070656595DIMENSIONSMachine Dimensions / mm (H x W x D)406 x 222 x 432514 x 381 x 286514 x 381 x 286505 x 390 x 365640 x 440 x 290Unit Weight / Kg8.8TBD12.212.816.3683 x 508 x 368683 x 508 x 368683 x 508 x 368Retail Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Outer Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Outer weight / Kg (inc retail packaqing)1.884.27.24504 4.22210.5 18 x 388Outer weight / Kg10.6TBD14.416.422222222232323232323SUPPLIES0il (croxley Code)236150-236150236150236150236150236154236154236154236154	Yes	Yes
Jam ProtectionNoNoNoNoNoNoYesYesAuto-Stop on Jamming IndicatorNoNoNoNoNoYesYesYesMotor TypeUniversalInductionInductionInductionInductionInductionInductionNoise Level @ capacity dB7070656565DIMENSIONSMachine Dimensions / mm (H x W x D)406 x 222 x 432514 x 381 x 286514 x 381 x 286505 x 390 x 365640 x 400 x 290Unit Weight / Kg8.8TBD12.212.816.3Retail Dimensions / mm (H x W x D)464 x 265 x 471478 x 398 x 288571 x 334 x 455683 x 508 x 368Retail Weight / Kg (inc retail packaqing)1.884.27.247.689Outer Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388 x 288Outer weight / Kg10.6TBD14.416.422Quantity per Outer1111SUPPLIESOil (Croxley Code)236150-236150236150236150Bags (Croxley Code)236154236154236154236154236154236154236154	Yes	Yes
Jam ProtectionNoNoNoNoYesYesAuto-Stop on Jamming IndicatorNoNoNoNoYesYesMotor TypeUniversalInductionInductionInductionInductionInductionNoise Level @ capacity dB70706565DIMENSIONSMachine Dimensions / mm (H x W x D)406 x 222 x 432514 x 381 x 286514 x 381 x 286505 x 390 x 365640 x 400 x 290Unit Weight / Kg8.8TBD12.212.816.3Retail Dimensions / mm (H x W x D)464 x 265 x 471478 x 398 x 288478 x 398 x 288571 x 334 x 455683 x 508 x 368Retail Weight / Kg (inc retail packaqing)1.884.27.247.689Outer Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Outer weight / Kg10.6TBD14.416.422Quantity per Outer1111SUPPLIESOil (Croxley Code)236150-236150236150236150Bags (Croxley Code)236154236154236154236154236154236154		
Auto-Stop on Jamming IndicatorNoNoNoNoYesMotor TypeUniversalInductionInductionInductionInductionNoise Level @ capacity dB70656566DIMENSIONSMachine Dimensions / mm (H × W × D)406 × 222 × 432514 × 381 × 286514 × 381 × 286505 × 390 × 365640 × 440 × 200Unit Weight / Kg8.8TBD12.212.816.3Retail Dimensions / mm (H × W × D)464 × 265 × 471478 × 398 × 288571 × 334 × 455683 × 508 × 368Retail Weight / Kg (inc retail packaqing)1.884.27.247.689Outer Dimensions / mm (H × W × D)491 × 286 × 486495 × 412 × 302495 × 412 × 302590 × 472 × 349710 × 518 × 388Outer weight / Kg (inc retail packaqing)1.06TBD1.4.416.422Quantity per Outer11111SUPPLIES0il (Croxley Code)236150-236154236154236154236154	Yes	Yes
Motor Type Noise Level @ capacity dBUniversal 0InductionInductionInductionInductionDIMENSIONSMachine Dimensions / mm (H x W x D)406 x 222 x 432514 x 381 x 286514 x 381 x 286505 x 390 x 365640 x 440 x 290Unit Weight / Kg8.8TBD12.212.816.3Retail Dimensions / mm (H x W x D)464 x 265 x 471478 x 398 x 288478 x 398 x 288571 x 334 x 455683 x 508 x 368Quer Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Quer Dimensions / mm (H x W x D)491 x 286 x 486495 x 412 x 302495 x 412 x 302590 x 472 x 349710 x 518 x 388Quer weight / Kg10.6TBD14.416.422Quantity per Outer1111SUPPLIES0il (Croxley Code)236150-236150236150236150Bags (Croxley Code)236154236154236154236154236154236154	Yes	Yes
Noise Level @ capacity dB         70         70         65         65           DIMENSIONS         Machine Dimensions / mm (H x W x D)         406 x 222 x 432         514 x 381 x 286         514 x 381 x 286         505 x 390 x 365         640 x 440 x 290           Unit Weight / Kg         8.8         TBD         12.2         12.8         16.3           Retail Dimensions / mm (H x W x D)         464 x 265 x 471         478 x 398 x 288         571 x 334 x 455         683 x 508 x 368           Retail Weight / Kg (inc retail packaqing)         1.88         4.2         7.24         7.68         9           Outer Dimensions / mm (H x W x D)         491 x 286 x 486         495 x 412 x 302         590 x 472 x 349         710 x 518 x 388           Outer weight / Kg         10.6         TBD         14.4         16.4         22           Quantity per Outer         1         1         1         1         1           SUPPLIES         Oil (Croxley Code)         236150         -         236150         236154         236154         236154         236154         236154         236154	Induction	Induction
DIMENSIONS       Machine Dimensions / mm (H x W x D)       406 x 222 x 432       514 x 381 x 286       514 x 381 x 286       505 x 390 x 365       640 x 440 x 290         Unit Weight / Kg       8.8       TBD       12.2       12.8       16.3         Retail Dimensions / mm (H x W x D)       464 x 265 x 471       478 x 398 x 288       571 x 334 x 455       683 x 508 x 368         Retail Weight / Kg (inc retail packaqing)       1.88       4.2       7.24       7.68       9         Outer Dimensions / mm (H x W x D)       491 x 286 x 486       495 x 412 x 302       495 x 412 x 302       590 x 472 x 349       710 x 518 x 388         Outer weight / Kg       10.6       TBD       14.4       16.4       22         Quantity per Outer       1       1       1       1         SUPPLIES       Oil (Croxley Code)       236150       -       236150       236150       236154         Bags (Croxley Code)       236154       236154       236154       236154       236154       236154       236154		70
Unit Weight / Kg       8.8       TBD       12.2       12.8       16.3         Retail Dimensions / mm (H x W x D)       464 x 265 x 471       478 x 398 x 288       571 x 334 x 455       683 x 508 x 368         Retail Weight / Kg (inc retail packaqing)       1.88       4.2       7.24       7.68       9         Outer Dimensions / mm (H x W x D)       491 x 286 x 486       495 x 412 x 302       495 x 412 x 302       590 x 472 x 349       710 x 518 x 388         Outer weight / Kg       10.6       TBD       14.4       16.4       22         Quantity per Outer       1       1       1       1         SUPPLIES       Oil (Croxley Code)       236150       -       236150       236150       236154         Bags (Croxley Code)       236154       236154       236154       236154       236154       236154       236154	735 x 535 x 286	
Retail Dimensions / mm (H x W x D)       464 x 265 x 471       478 x 398 x 288       478 x 398 x 288       571 x 334 x 455       683 x 508 x 368         Retail Weight / Kg (inc retail packaging)       1.88       4.2       7.24       7.68       9         Outer Dimensions / mm (H x W x D)       491 x 286 x 486       495 x 412 x 302       495 x 412 x 302       590 x 472 x 349       710 x 518 x 388         Outer weight / Kg       10.6       TBD       14.4       16.4       22         Quantity per Outer       1       1       1       1         SUPPLIES       Oil (Croxley Code)       236150       -       236150       236154       236154       236154       236154       236154       236154       236154       236154	25.0	40.7
Retail Weight / Kg (inc retail packaqing)       1.88       4.2       7.24       7.68       9         Outer Dimensions / mm (H × W × D)       491 × 286 × 486       495 × 412 × 302       495 × 412 × 302       590 × 472 × 349       710 × 518 × 388         Outer weight / Kg       10.6       TBD       14.4       16.4       22         Quantity per Outer       1       1       1       1         SUPPLIES       Oil (Croxley Code)       236150       -       236150       236154       236154       236154       236154       236154	-	-
Outer Dimensions / mm (H x W x D)         491 x 286 x 486         495 x 412 x 302         495 x 412 x 302         590 x 472 x 349         710 x 518 x 388           Outer weight / Kg         10.6         TBD         14.4         16.4         22           Quantity per Outer         1         1         1         1         1           SUPPLIES         Oil (Croxley Code)         236150         -         236150         236154         2361	- 10.7	- 17.2
Outer weight / Kg         10.6         TBD         14.4         16.4         22           Quantity per Outer         1         1         1         1         1           SUPPLIES         Oil (Croxley Code)         236150         -         236150         236150         236150           Bags (Croxley Code)         236154         236154         236154         236154         236154	855 x 401 x 650	
Quantity per Outer         1         1         1         1         1           SUPPLIES         Oil (Croxley Code)         236150         -         236150         236150         236150           Bags (Croxley Code)         236154         236154         236154         236154         236154		
SUPPLIES         Oil (Croxley Code)         236150         -         236150         236150         236150           Bags (Croxley Code)         236154         236154         236154         236154         236154         236154	29	43
Bags (Croxley Code) 236154 236154 236154 236154 236155	1	1
	236150	236150
SPELIFICATIONS LKL (EU) 34535 46710 46750 46790 46910	236151	236151
	33125	38250
UPC Bar Code 043859621231 043859631025 043859628971 043859629046 04385962927	043859628056	
SCS Bar Code 50043859621236 50043859631020 50043859628976 50043859629041 5004385962927	5004385962805	1 5004385962818

#### FELLOWES LAMINATION

## WHY LAMINATE?

Lamination is the application of a plastic film to the surface of an item. By adding a plastic coating to the paper or card, a document becomes more durable, with a quality, professional-looking finish. Lamination protects documents from fingerprints, smudges and tears and also enhances the colour and contrast of the print. The process keeps materials in like-new condition for many years, preserving colour and increasing durability. Laminated paper or card can be used for presentation purposes, without additional backing or frames, creating a variety of opportunities for display. Using a high-quality laminator will preserve and protect your documents and important papers from everyday wear and tear. Something that is laminated looks better and lasts!

#### **BENEFITS OF LAMINATION:**

- Laminated materials can be reused; they are waterproof and wipe clean
- Valuable graphics are protected from spills
- Strengthens documents; ideal for posters and signs
- Protects from the weather; ideal for external signage
- Improves the appearance of materials; deepens and brightens colours, enhances the contrast
- Provides a variety of finishes; gloss, matt pouches are available
- Eliminates creases and wrinkles; provides a perfect finish

## WHAT TO LAMINATE?

Lamination can be used for a wide variety of documents both in the home and in the workplace.

#### IN THE WORKPLACE

- Maintenance check list
- Outdoor directional signs
- Sales presentation materials
- Menus
- Instructional materials
- Sales promotion material
- Business & ID cards
- Identification cards
- Telephone lists
- Maps & directions

#### IN THE HOME

- Birthday cards
- Pocket / wallet cards
- Dinner mats
- Luggage tags
- Printed digital photos
- Golf handicap cards
- Activity & training schedules
- Garden stakes
- Children's artwork
- School timetables

## **CHOOSING THE RIGHT LAMINATOR**

Fellowes laminators are classified by usage, how often they are used and the type of pouches they accept. The thicker the pouches accepted the more versatile the machine and the more applications they can be used for. Laminating pouches are available in different thicknesses which are measured in microns - the higher the number of microns the thicker the pouch.

MAX POUCH THICKNESS	LEVEL OF PROTECTION	TYPICAL USAGE
Enhance 80	BASIC PROTECTION	
Impress100	EVERYDAY PROTECTION	
Capture125	ADVANCED PROTECTION	

Fellowes have made selecting a laminator easy - all you have to do is answer the following questions.

## **1. WHERE WILL THE LAMINATOR BE USED?**

- Office (large office heavy use, office frequent use and small office regular use)
- Personal (home office moderate use and home occasional use)

### 2. WHAT SIZE DOCUMENTS DO YOU WANT TO LAMINATE?

Fellowes offer laminators with 2 different sizes of entry as shown by the icons below. The larger the width the more flexibility there is to laminate different sized documents.



#### 3. WHICH LAMINATOR FEATURES WILL MAKE YOUR JOB EASIER?

Fellowes laminators lead the market through user-focused innovation. Our unique features make our multi-award-winning laminators easier, safer and more reliable than alternative models.

#### SAFETY



HeatGuard  $^{\rm m}$  - patented safety system reduces the surface temperature of Fellowes laminators by up to 50%, compared to equivalent models, so they are always safe to touch. This safety feature also reduces the amount of energy used.

#### EFFICIENCY



All Fellowes laminators are 100% Jam Free\*. The ClearPath low-friction mechanism allows the smooth flow of the document and ensures that the laminator does not jam.

\*when using Fellowes branded pouches



Reduces energy consumption by switching the laminator into stand by mode after a period of inactivity

### FELLOWES LAMINATOR SELECTION GUIDE

Use the simple guide below to choose the right laminator for your needs.

## PERFORMANCE



The Easi-Access mechanism allows the user to open the machine to clean and maintain the laminating rollers ensuring consistent, high quality lamination and the longevity of the machine. It also enables users to safely retrieve mis-fed documents.



The AutoLam pouch detection and speed adjustment automatically finds the optimum speed/heat combination for different pouch and document combinations and makes real-time changes if required for best laminating results.

		VOYAGER A3
DO YOU WANT TO LAMINATE DOCUMENTS USING PRESERVE 250 POUCHES?	YES	VENUS A3
DO YOU WANT TO LAMINATE A3 DOCUMENTS?	YES	SATURN A3
DO YOU WANT TO LAMINATE	YES	SATURN A4 COSMIC A3
A3 DOCUMENTS?	NO	COSMIC A4
DO YOU WANT TO LAMINATE A3 DOCUMENTS?	YES	MARS A3 MARS A4
	DOCUMENTS USING PRESERVE 250 POUCHES? DO YOU WANT TO LAMINATE A3 DOCUMENTS? DO YOU WANT TO LAMINATE A3 DOCUMENTS? DO YOU WANT TO LAMINATE	DO YOU WANT TO LAMINATE A3 DOCUMENTS? DO YOU WANT TO LAMINATE A3 DOCUMENTS? A3 DOCUMENTS?

## FELLOWES LARGE OFFICE LAMINATION

## FELLOWES VOYAGER A3 LARGE OFFICE LAMINATOR

Engineered to provide superior results and equipped with unique innovative features to improve efficiency, durability and ease of use, this quality machine is designed for heavy use in a busy office environment and guarantees excellent results.

- Unique heated belt-driven technology for ultimate jam-proof laminating
- The only laminator that allows instant changes between different pouches without heat-up or cool-down time
- Adjustable entry guide makes sure the items are supported fully when inserted to avoid mis-feeds
- CleanMe auto-glue sensor patented system warns the user to clean the laminator internally if glue or dirt has built up
- LCD display with advanced functions to guide users through the laminating process with greatest ease
- Auto Reverse function detects mis-feeds and overloads to prevent paper jams and ensures safe operation

Croxley Sku Laminating Entry Heat up Temp Mechanism Width Time Adjus	Speed Max Micron
245631 Belt drive 330mm 4 mins Auto	90cm/min 250 Micron



## FELLOWES OFFICE LAMINATION

Fellowes office laminators are of superior quality and feature 4-roller technology for reliable laminating results. They can laminate a wide variety of pouch types up to 250 micron, ensuring that these machines are ideal for a wide variety of applications and are ideal for use in a busy office environment.

## FELLOWES VENUS A3 OFFICE LAMINATOR

- Interactive LCD interface for ultimate user-friendliness
- Manual reverse function ensures safe operation at all times
- Unique 'Easi-Access' system ensures continuous lamination quality
- Active cooling system enables rapid shifts from hot to cooler settings
- Starter kit for 10 documents included
- 2 year warranty

Croxley Sku	Laminating Mechanism	Entry Width	Heat up Time	Temp Adjustment	Speed	Max Micron
245630	4	330mm	4 mins	б	50cm/min	250 Micron



## FELLOWES JUPITER A3 OFFICE LAMINATOR

- LED user interface makes using the laminator easy
- Manual reverse function ensures safe operation at all times
- Unique "Easi-Access" system ensures continuous lamination quality
- Active cooling system enables rapid shifts from hot to cooler settings
- Starter kit for 10 documents included
- 2 year warranty

Croxley Sku	Laminating Mechanism	Entry Width	Heat up Time	Temp Adjustment	Speed	Max Micron
245629	4	330mm	4 mins	5	50cm/min	175 Micron





## FELLOWES SMALL OFFICE LAMINATION

Our stylish small office laminators with their sophisticated design are engineered for performance, efficiency and durability. They provide easy, safe and jam-free laminating with great results in the busy-small office environment.

#### FELLOWES SATURN 2 A3 AND SATURN 2 A4 SMALL OFFICE LAMINATOR

- HeatGuard<sup>™</sup> ensures laminator is always safe to touch.
- Carry handle and stand-up feet with cable tidy for easy transportation
- Release mechanism for clearing mis-fed documents
- Starter kit for 10 documents included
- 2 year warranty



## **FELLOWES HOME & HOME OFFICE LAMINATION**

Engineered with safety and ease-of-use at the forefront of the design brief, these laminators are reliable, safe and simple to use, and easy to clean with their wipe-clean surfaces. They are easy to store and effortless to operate – making them ideal for home office use and hobby and craft applications.

#### FELLOWES COSMIC 2 A3 AND COSMIC 2 A4 HOME OFFICE LAMINATOR

- HeatGuard  $^{\scriptscriptstyle \mathrm{M}}$  ensures laminator is always safe to touch
- Carry handle and stand-up feet with cable tidy
- Release mechanism for clearing mis-fed documents
- Starter kit for 10 documents included
- 2 year warranty

Croxley Sku	Size	No. of Rollers	Entry Width	Heat up Time	Temp Adjustment	Speed	Max Micron
245634	A3	2	330mm	6 mins	2	30cm/min	100 Micron
245633	A4	2	220mm	6 mins	2	30cm/min	100 Micron





#### FELLOWES MARS A3 AND MARS A4 HOME LAMINATOR

- Easy operation and wipe-clean surface
- Carry handle for easy transportation
- 2 year warranty

Croxley Sku	Size	No. of Rollers	Entry Width	Heat up Time	Temp Adjustment	Speed	Max Micron
245624	A3	2	330mm	7 mins	FIXED	30cm/min	80 Micron
245623	A4	2	220mm	7 mins	FIXED	30cm/min	80 Micron





#### FELLOWES LAMINATING POUCHES

High quality glossy laminating pouches available in a wide variety of sizes for all your lamination requirements. Fellowes have developed a unique naming strategy to make it easy to select the right thickness of pouch for the level of protection you require. Suitable for use in all types of laminators.

Croxley Sku	Description	Format/Size	Qty/Pk						
Enhance80 M	licron								
245521	Glossy Pouches 80mic	A3	100						
245520	Glossy Pouches 80mic	A3	25						
245506	Glossy Pouches 80mic	A4	100						
245505	Glossy Pouches 80mic	A4	25						
Impress100	Micron								
245522	Glossy Pouches 100mic	A3	100						
245507	Glossy Pouches 100mic	A4	100						
245500	Glossy Pouches 100mic	A5	100						
Capture125	Capture125 Micron								
245526	Glossy Pouches 125mic	A3	100						
245516	Glossy Pouches 125mic	A4	100						



## FELLOWES LAMINATOR SPECIFICATIONS

	Large Office	Office		Small Office		Home Office		Home	
	Voyager A3	Venus A3	Jupiter A3	Saturn A3	Saturn A4	Cosmic A3	Cosmic A4	Mars A3	Mars A4
Order No.	245631	245630	245629	245628	245627	245626	245625	245624	245623
Format - Laminating Width (mm)	A3 - 330	A3 - 330	A3 - 330	A3 - 330	A4 - 220	A3 - 330	A4 - 220	A3 - 330	A4 - 220
Pouch Thickness (mic)	80 - 250	80 - 250	80 - 175	80 - 125	80 - 125	80 - 100	80 - 100	80	80
Entry Width	330	330		330	220	330	220	330	220
Heating System	Belt	Preheater / Hot Shoe	Preheater / Hot Shoe	Hot Shoe	Hot Shoe	Hot Shoe	Hot Shoe	Hot Shoe	Hot Shoe
Number Rollers	Belt	4	4	2	2	2	2	2	2
Heat Up Time (min)	4	4	4	6	6	6	6	7	7
Temperature Adjustment (nb settings)	Auto	6	5	2	2	2	2	Fixed	Fixed
Lamination Speed (cm/mm)	90	50	50	30	30	30	30	30	30
Speed Adjustment	•								
100% Jam Free	Auto	•	•	•	•	•	•	•	•
AutoLam	•								
HeatGuard™ (cool to touch)	•	•	•	•	•	•	•		
Easi-Access Opening	•	•	•						
Full Logic LCD Interface Display	•	•							
Logic LED Interface Display			•						
Basic LED Interface Display				•	•	•	•	•	•
Release Mechanism				•	•	•	•		
Reverse Mechanism	•	•	•						
Active Cooling System	•	•	•						
Sleep Mode	•	•	•						
Photocapable	•	•	•	•	•	•	•	•	•
Machine Warranty (years)	2	2	2	2	2	2	2	1	1
Machine Dimensions / mm (H x W x D)	165 x 630 x 230	116 x 554 x 220	116 x 554 x 220	90 x 502 x 200	86 x 410 x 202	94 x 500 x 204	84 x 410 x 200	78 x 496 x 166	82 x 412 x 56
Unit Weight / Kg	9.9	6.8	6.76	3.14	2.36	3.12	2.36	2.52	1.78
Outer Dimensions / mm (H x W x D)	295 x 260 x 725	334 x 218 x 640	338 x 218 x 640	250 x 320 x 554	266 x 318 x 464	260 x 316 x 552	268 x 308 x 468	238 x 282 x 580	220 x 256 x 476
Outer Weight / Kg	12	8.96	8.78	8.48	6.72	8.36	6.78	6.46	4.64
Quantity per Outer	1	1	1	2	2	2	2	2	2
CRC	57045	57021	57019	57310	57309	57308	52100	57307	57306
EAN	043859568833	043859511150	043859511136	043859517633	043859517626	043859517619	043859496150	043859517602	043859517596
SCS	50043859568838	50043859511155	50043859511131	50043859517638	50043859517621	50043859517614	50043859496155	50043859517607	50043859517591

#### FELLOWES BINDING

## WHY BIND?

When you've worked hard on a project and invested time and money in your presentation, you need to give it the professional finish it deserves to ensure you make the greatest impact. Binding is the perfect way to present your documents.

#### **BENEFITS OF BINDING:**

- Present a professional, high quality image
- Enhance usability because bound documents are easier to handle and store
- Protect and preserve materials which otherwise can become dog-eared with age and frequent use
- Add style and colour through a wide choice of covers, combs and wires

## WHAT TO BIND?

Binding can be used for a wide variety of documents, both at the home and in the work place.

### **IN THE WORK PLACE**

#### HUMAN RESOURCES

- Policy documents
- Training manuals
- Health & Safety manuals

#### PURCHASING DEPARTMENTS

- Supplier proposals
- Contracts and agreements
- Reference manuals

#### SALES & MARKETING

- Sales proposals
- Sales reports
- Marketing plans

#### ACCOUNTS

- Suppliers' details
- Year-end accounts
- Monthly reports

#### **IN THE HOME**

- Assignments & homework
- Scrap books & hobby craft
- Recipes

## **TYPES OF BINDING**

Different binding systems are suitable for different applications. Fellowes offer 2 types of binding options.



## PLASTIC COMB BINDING

Plastic comb binding is the most popular and economical binding system, it's practical, easy to use and very flexible.



#### WIRE BINDING

Wire binding gives your documents a stylish, top-quality finish. It's permanent and secure.

#### BENEFITS

- Cost-effective, quick and simple to use
- Documents are easy to use; they can be opened out completely flat so they are easy to read and photocopy They are ideal for presentations
- Can add and remove pages easily

#### BENEFITS

- Completely secure document, can not be re-opened.
- Creates the same durable look used by professional printers.
- Documents can be opened out completely flat so they are easy to read and photocopy and are ideal for presentations.

## **CHOOSING THE RIGHT BINDER**

Fellowes binders are classified according to how often they will be used and the size of the documents they can bind which is measured on binding capacity, punch capacity and comb size.



**BINDING CAPACITY** The higher the binding capacity, the larger the document you can bind.



**PUNCH CAPACITY** The higher the punch capacity, the quicker the process.



MAX ELEMENT SIZE Maximum comb and wire diameter suitable for use with the binder.

The larger the binding capacity the more versatile the machine. Comb binders which are ideal for personal use can bind documents up to 150 sheets and are suitable for use in the Home and Home Office. Fellowes provides comb and wire office binders which are ideal for the workplace. They can bind large documents up to 500 sheets and 130 sheets respectively. Fellowes has made selecting a binder easy – all you have to do is answer the following questions.

## **1. WHERE WILL THE BINDER BE USED?**

- Office (large office heavy use, office frequent use and small office regular use)
- Personal (home office moderate use and home occasional use)

## 2. MANUAL OR ELECTRIC BINDER?

#### **ELECTRIC PUNCHING**

Provides ultimate ease of use. Electric punch button makes it easier to punch through large documents and also work through large quantities of documents quickly.

#### MANUAL PUNCHING

Strong metal punch handle on Fellowes machines makes it easy to punch through documents.

## 3. WHAT FEATURES MAKE BINDING EASIER?

Fellowes binders are equipped with many user-friendly features which make them easier and quicker to use than many alternatives.



# Satellite a ®

SATELLITE removable binding platform allows multiple users to punch and bind simultaneously, saving time in the work place.





FULL WIDTH PUNCHING HANDLE Suits any user as it can be used left & right handed.



#### ANGLED COMB RAKE


All Fellowes comb binders have an angled comb rake of 15 degrees to make loading punched sheets much easier.



PRESELECTABLE CLOSURE CONTROL For easy wire closure - ideal for binding multiple documents.



**CHIP TRAY** With burst out feature to eliminate jams.



BACK MARGIN ADJUSTMENT SELECTOR Increases stability for larger documents.



**PUNCH SELECTION** For a variety of document sizes.



ADJUSTABLE EDGE GUIDE Aligns sheets accurately.




COMB STORAGE TRAY

With patented comb and document measure enables users to select the right comb for their requirements.

### FELLOWES BINDER SELECTION GUIDE

Use the guide below to choose the right binder for your needs.



## FELLOWES OFFICE COMB BINDERS

High performance comb binders designed for busy office environments. They come equipped with a full metal punching mechanism to power through large quantities of paper and achieve excellent results time after time.

260

## Satellite a®



Removable binding platform allows multiple users



Adjustable edge guide



Comb measure and storage



Angled comb rake



Chip tray

#### FELLOWES GALAXY-E 500 AND GALAXY 500 OFFICE COMB BINDER

- Galaxy: Full width punch handle requires minimal effort
- Galaxy-E: Electric punching for ultimate ease of use
- Back margin adjustment for various sheet sizes
- Punch selection for A4 & A5 sized documents
- Patented comb & document measure
- Front access full size storage tray for combs and documents
- Adjustable edge guide aligns sheets accurately
- Vertical sheet loading ensures consistent punch alignment
- 2 year warranty

Croxley Sku	Binding System	Manual/Electric	Punch Capacity	Binding Capacity		Starter Pack Included	
235822	Comb	Electric	25	500	50mm	20 Docs	
235821	Comb	Manual	25	500	50mm	20 Docs	



#### FELLOWES QUASAR-E 500 AND QUASAR 500 OFFICE COMB BINDER

- Quasar: Full width punch handle requires minimal effort
- Quasar-E: Electric punching for ultimate ease of use
- Patented comb & document measure
- Adjustable edge guide aligns sheets accurately
- Vertical sheet loading ensures consistent punch alignment
- 2 year warranty

Croxley Sku	Binding System	Manual/Electric	Punch Capacity	<b>Binding Capacity</b>	Comb Size	Starter Pack Included
235820	Comb	Electric	20	500	38mm	10 Docs
235819	Comb	Manual	20	500	38mm	10 Docs



#### FELLOWES PULSAR-E 300 AND PULSAR 300 SMALL OFFICE COMB BINDER

- Electric punching for ultimate ease of use (Pulsar-E only)
- Patented comb & document measure
- Adjustable edge guide aligns sheets accurately
- Vertical sheet loading ensures consistent punch alignment
- 2 year warranty

Croxley Sku	Binding System	Manual/Electric	Punch Capacity	Binding Capacity	Comb Size	Starter Pack Included	
235818	Comb	Electric	15	300	15mm	10 Docs	
235817	Comb	Manual	15	300	15mm	10 Docs	



## FELLOWES PERSONAL COMB BINDERS

Personal comb binders are ideal for small to medium sized documents and are designed with added unique features to make the binding process quicker and easier. They are ideal for home and small office use.







and storage



Angled comb rake



Chip tray

#### FELLOWES STAR 150 HOME OFFICE COMB BINDER

- Full width punch handle requires minimal effort
- Patented comb & document measure
- Adjustable edge guide aligns sheets accurately
- Vertical sheet loading ensures consistent punch alignment

•	2	year	warranty
---	---	------	----------

Croxley Sku	Binding System	Manual/Electric	Punch Capacity	Binding Capacity	Comb Size	Starter Pack Included	
235816	Comb	Manual	10	150	18mm	No	

#### FELLOWES STARLET 90 HOME COMB BINDER

- Patented comb & document measure
- Adjustable edge guide aligns sheets accurately
- Vertical sheet loading ensures consistent punch alignment
- 2 year warranty

Croxley Sku	Binding System	Manual/Electric		Binding Capacity	Comb Size	Starter Pack Included
235815	Comb	Manual	7	90	12mm	No



## FELLOWES WIRE BINDERS

Stylish, durable wire binders with unique, user-friendly features ensure they are ideal for office use, providing the best solution for a high-end, professional finish.



Preselectable closure control for easy wire closure - ideal for binding multiple documents



Adjustable edge guide



Comb measure and storage



Angled comb rake



Chip tray

#### FELLOWES GALAXY-E WIRE AND GALAXY WIRE LARGE OFFICE WIRE BINDER

- Galaxy Wire: Full width punch handle requires minimal effort
- Galaxy-E Wire: Electric punching for ultimate ease of use
- Adjustable edge guide aligns sheets accurately
- Patented wire & document measure and storage
- 2 year warranty

Croxley Sku	Binding System	Manual/Electric	Punch Capacity	<b>Binding Capacity</b>	Comb Size	Starter Pack Included
235825	Wire	Electric	20	130	14mm	20 Docs
235824	Wire	Manual	20	130	14mm	20 Docs



#### FELLOWES QUASAR WIRE OFFICE WIRE BINDER

- Full width punch handle requires minimal effort
- Adjustable edge guide aligns sheets accurately
- Patented wire storage and document measure
- 2 year warranty

Croxley Sku	Binding System	Manual/Electric	Punch Capacity	<b>Binding Capacity</b>	Comb Size	Starter Pack Included
235823	Wire	Manual	15	130	14mm	20 Docs



**Business Machines** 

## FELLOWES BINDING SUPPLIES

Fellowes offer a wide range of binding supplies for every binding solution. They are not only manufactured to the highest standards but also feature packaging designs which make selecting the right cover and comb for your document easier than ever.

#### FELLOWES BINDING COMBS – PLASTIC

Provide a versatile binding solution because they can be reopened after binding to add or remove pages.



Plastic Com	o (Round) - 21	Rings, Pitch 14.28m	m, Commercial Pack
Croxley Sku	Sheets	Size (mm)	Qty / Pk
235200	2-20	6	25
235208	21-40	8	25
235216	41-55	10	25
235224	56-80	12	25
235405	21-40	8	100
235410	41-55	10	100
235415	56-80	12	100
235420	81-100	14	100
235424	101-120	16	100

#### FELLOWES BINDING COMBS -

Providing a stylish and professional finish to any printed document, wire combs offer a permanent binding solution.

Wire Comb (A4) - 34 Loops, Pitch 3:1" , Commercial Pack									
Sheets	Size (mm)	Qty / Pk							
1-35	6	100							
36-60	8	100							
61-80	11	100							
81-100	12.7	100							
	Sheets 1-35 36-60 61-80	Sheets         Size (mm)           1-35         6           36-60         8           61-80         11							

#### FELLOWES LEATHER BOARD & PVC BINDING COVERS

High quality leather board covers have a deeply embossed finish with leathered grain effect. They provide a quality result and effective document protection with a robust weight of 250gsm. PVC covers strengthen documents enabling the front cover to remain visible through the protective PVC cover.

Leather Board / Heavy Weight, Commercial Pack										
Croxley S	šku	Weight	Size (mm)	Qty / Pk						
235630		Light Weight	0.15 mm	100						
235631		Medium Weight	0.2 mm	50						
235632		Heavy Weight	0.24 mm	50						
	Leather Board / Heavy Weight, Pack									
Croxley Sku (Black) (Blue)		Weight (gsm)	Size	Qty/Pk						
235628	235629	250	A4	25						
235626	235627	250	A4	100						



## **DIXON BINDING COVERS**

Dixon offers good quality binding covers - clear, frosted or textured leather board as well as binding indices.

**DIXON BINDING COVERS Clear Covers** 235651 0.15mm Lightweight Pack 20 235657 0.15mm Lightweight Pack 100 235658 0.18mm Medium Weight Pack 100 **Frosted Covers** 235654 0.25mm Heavyweight Pack 20 **Textured Covers 300gsm** 235621 Black Pack 20 235641 Black Pack 100 235642 Blue Pack 100 235644 Red Pack 100 **Binding Indices** 235700 A4 White 5 Tab 235701 A4 White 10 Tab 235706 A4 Laminated 5 Tab 235707 A4 Laminated 10 Tab





## FELLOWES BINDING SPECIFICATIONS

	Comb Binders	;						
	Galaxy-E 500	Galaxy 500	Quasar-E 500	Quasar 500	Pulsar-E 300	Pulsar 300	Star 150	Starlet 90
Order No.	235822	235821	235820	235819	235818	235817	235816	235815
Manual / Electric	Electric	Manual	Electric	Manual	Electric	Manual	Manual	Manual
Sheet Binding Capacity (80gsm)	500	500	500	500	300	300	150	90
Sheet Punching Capacity (80 gsm)	25	25	20	20	15	15	10	7
Maximum Comb Size	50mm	50mm	50mm	50mm	38mm	38mm	18mm	12mm
Comb Storage	•	•	•	•	•	•	•	•
Document Storage	•	•						
Document & Comb Sizing Guide	•	•	•	•	•	•	•	•
Satellite Removable Binding Platform	•	•						
Chip Tray	Both Sides	Both Sides	Single Side					
Vertical Document Loading	•	•	•	•	•	•	•	•
Punch Handle		Full		Full		Single	Full	Single
Vertical Storage							•	•
Adjustable Punch Selection	•	•						
Adjustable Edge Guide	•	•	•	•	•	•	•	•
Machine Warranty	2	2	2	2	2	2	2	2
Includes Document Starter Pack	20 docs	20 docs	10 docs	10 docs	10 docs	10 docs		
Machine Dimensions / mm (H x W x D)	152 x 490 x 446	152 x 526 x 446	130 x 426 x 398	126 x 456 x 418	130 x 432 x 388	130 x 456 x 396	80 x 448 x 280	80 x 444 x 284
Unit Weight / Kg	13.06	10.28	9.92	7.52	9.52	6.9	4.26	3.94
Outer Dimensions / mm (H x W x D)	510 x 216 x 596	508 x 218 x 596	498 x 218 x 538	502 x 220 x 538	502 x 222 x 532	498 x 220 x 540	374 x 298 x 528	374 x 300 x 524
Outer Weight / Kg	15.36	12.58	12.26	9.62	12.32	9.24	10.88	10.3
Quantity per Outer	1	1	1	1	1	1	2	2
CRC	56221	56220	56210	56208	56217	56200	56305	56303
UPC Bar Code	043859529971	043859522255	043859516452	043859512140	043859516438	043859512102	043859516421	043859515554
SCS Bar Code	50043859529976	50043859522250	50043859516457	50043859512145	50043859516433	50043859512107	50043859533515	50043859533508

	Wire Binders		
	Galaxy E Wire	Galaxy Wire	Quasar Wire
Order No.	235825	235824	235823
Manual / Electric	Electric	Manual	Manual
Sheet Binding Capacity (80gsm)	130	130	130
Sheet Punching Capacity (80 gsm)	20	20	15
Maximum Comb Size	14mm	14mm	14mm
Wire Storage	•	•	•
Document Storage	•	•	
Document & Wire Sizing Guide	•	•	•
Chip Tray	Both Sides	Both Sides	Single Side
Vertical Document Loading	•	•	•
Punch Handle	Full	Full	Single
Visual Closure Control	•	•	•
Pre-selectable Closure Control	•	•	
Adjustable Edge Guide	•	•	•
Machine Warranty	2	2	2
Includes Document Starter Pack	20 docs	20 docs	20 docs
Machine Dimensions / mm (H x W x D)	154x506x452	154x506x452	132x470x412
Unit Weight / Kg	12.88	12.88	7.38
Outer Dimensions / mm (H x W x D)	510x218x596	510x218x596	492x222x536
Outer Weight / Kg	15.48	15.48	10.2
Quantity per Outer	1	1	1
CRC	56226	56224	52241
UPC Bar Code	043859530045	043859530021	043859530014
SCS Bar Code	50043859530040	50043859530026	50043859530019

# FELLOWES TRIMMERS AND GUILLOTINES WHY USE A CUTTING SYSTEM?

Cutting machines enable the user to trim and cut large amounts of paper in one go and can also be used to make precise cuts to shape or divide documents or projects. They are operated using one smooth movement which ensures precision cutting and a professional finish. They save time and effort and are an essential tool to use when trimming or cropping large stacks of paper, books, and laminated documents. They are also ideal for digital photographs.

## WHAT CAN A CUTTING SYSTEM BE USED FOR?

#### IN THE HOME

- Photographs
- Greeting Cards
- CD Covers
- IN THE WORKPLACE
- Presentations
- Paperboard
- Laminated Documents
- Foam Board

Scrapbooks

• Posters

- Large Volumes Of Paper
- Leaflets

## **TYPES OF CUTTING SYSTEM?**

#### **ROTARY TRIMMERS**

Rotary paper trimmers have a round blade enclosed in a cutting head that slides along a metal guide bar. They are ideal for making straight cuts through material of small thickness, and are widely used by photographers, advertising and graphics studios and schools. They deliver great burr-free cuts with paper, plastic sheets, special papers, soft card and laminated materials.

#### **GUILLOTINES**

Paper guillotines are a premium solution, designed for high-volume cutting. The paper can be clamped into place and the handle is brought down in one motion to cut through the paper with straight, clean cuts. They are ideal for cutting thick stacks of paper.

## **CHOOSING THE RIGHT CUTTING SYSTEM**

Fellowes have made selecting a cutting system easy - all you have to do is answer the following questions.

## **1. WHERE WILL THE CUTTING SYSTEM BE USED?**

- Office (office heavy use and small office frequent use)
- Personal (home office moderate use and home occasional use)

## 2. WHAT SIZE IS REQUIRED?

Fellowes offer cutting systems with 2 different sizes of entry as shown by the icons below. The larger the width, the more flexibility there is to trim different sized documents.



**PAPER SIZE** Indicates the maximum paper size the machine will accommodate

## 3. WHAT FEATURES WILL MAKE YOUR JOB EASIER?

Our range of trimmers and guillotines is set apart from the rest of the market by our unique features, designed to make cutting safer and easier than ever before:



Unique SafeCut<sup>™</sup> blade cartridges encapsulate the stainless steel blade so it is only exposed when trimming, ensuring maximum safety & ease-of-use.




Heavy duty, stainless steel SafeCut™ rotary blade, encapsulated for user safety – accepts materials including card, plastic sheet and foam board.



Full size SafeCut<sup>™</sup> Guard prevents mishandling during operation. It is preassembled to prevent human errors during set-up and folds down for storage. The blade cannot be operated unless SafeCut<sup>™</sup> Guard is in upright, protective position.





**Business Machines** 

## FELLOWES OFFICE GUILLOTINE

Heavy duty, durable guillotines designed to cut through large volumes of paper and provide a sharp, clean cut result in one fluid motion.

#### FELLOWES FUSION A3 GUILLOTINE

- Solid metal base with integrated anti-slip feetPaper clamp minimises paper movement when cutting
- Carry points for easy portability
- 2 year machine warranty

L year maen	inite manually						
Croxley Sku	Blade Type	Page Format	Cutting Length	<b>Cutting Capacity</b>	Blade Storage	No. of Blades Included	
236443	Guillotine	A3	455mm	10	No	20 Fixed Blade	
						1.	and the second se
						Joseph.	




## FELLOWES ELECTRIC OFFICE TRIMMER

As leading global innovators of business machines, Fellowes are delighted to introduce the unique PowerTrim rotary trimmer, the ultimate user-friendly and safe-to-use trimmer. The operator can clamp the sheets in place, press a control button and let the machine's rotary blade take the strain.

#### **POWERTRIM A3 ELECTRIC OFFICE TRIMMER**

- Provides ultimate convenience for safe and easy trimming anywhere in the office
- Clear acrylic cutting bed is illuminated in use and can easily accept all sheet sizes up to A3
- Large and illuminated control pad for highly visible communication with the operator
- SafeCut<sup>™</sup> clamp the machine cannot be operated until the clamp is closed, locking the sheets safely in position
- Document gauge ensures that maximum sheet capacity cannot be exceeded
- Progressive cutting system cuts through loaded stack with a maximum of 6 passes
- The cut control allows the user to stop a cutting cycle whenever required
- PowerTrim's 30mm rotary blade will cut up to 30 sheets (80gsm) in under 10 seconds

Croxley Sku	Blade Type	Page Format	Cutting Length	5		No. of Blades Included
236449	Rotary	A3	420mm	30	No	Fixed Blade



# Guard Steep

## FELLOWES OFFICE ROTARY TRIMMER

High quality rotary trimmers engineered for safety and precision with unique SafeCut<sup>™</sup> features and TUV / GS safety accreditation to ensure excellent results and cutting edge performance.

#### FELLOWES ATOM A3 OFFICE ROTARY TRIMMER

- Market-leading cutting capacity
- Durable full metal cutting base with integrated anti-slip feet
- Adjustable back margin for precise cutting
- Variable paper clamp minimises paper movement when cutting
- Secure park position for cutting carriage ensures trimmer is safe when carried
- 2 year machine warranty Croxley Sku Blade Type Page Format Cutting Length Cutting

ey Sku	Blade Type	Page Format	Cutting Length	5		No. of Blades Included
45	Rotary	A3	455mm	30	No	Fixed Blade





## FELLOWES HOME AND HOME OFFICE TRIMMERS

Fellowes rotary trimmers are equipped with SafeCut<sup>™</sup> blade cartridges to ensure safe and easy blade exchange. The integrated blade storage system allows a clean and tidy work area, making these trimmers suitable for home office use and ideal for hobby and craft in the home.

#### FELLOWES PROTON A4 HOME OFFICE TRIMMER

- Integrated storage for the SafeCut<sup>™</sup> blade cartridges
- Full metal cutting base with integrated anti-slip feet
- Adjustable paper clamp minimises paper movement when cutting
- Secure park position for cutting handle ensures safe blade exchange
- and transportation
- 2 year machine warranty

Croxley Sku	Blade Type	Page Format	Cutting Length	•		No. of Blades Included	
236444	Rotary	A4	320mm	10	Yes	1	



#### FELLOWES NEUTRON A4 PLUS HOME TRIMMER

- Integrated storage for the SafeCut<sup>™</sup> blade cartridges
- Variable paper clamp minimises paper movement when cutting
- Secure park position for cutting handle ensures safe blade exchange and transportation
- Neutron A4 Plus has an aluminium cutting bed for easy paper alignment and increased durability
- Neutron A4 Plus includes 4 types of SafeCut<sup>™</sup> blade cartridges
- 2 year machine warranty

Croxley S	Sku Blade Type	Page Format	Cutting Length	<b>Cutting Capacity</b>	Blade Storage	No. of Blades Included
236346	Rotary	A4	320mm	10	Yes	4





#### FELLOWES TRIMMER ACCESSORIES

236450	Safecut Cartridges (Straight) 2 Pack
236451	Cutting Strips (A4) 3 Pack
236452	Cutting Strips (A3) 3 Pack



## FELLOWES TRIMMER & GUILLOTINE SPECIFICATIONS

#### **ROTARY TRIMMERS**

### Potany Trimmore

Rotary Trimmers					Guillotine
	PowerTrim	Atom	Proton	Neutron+	Fusion
Order No.	236449	236445	236444	236346	236443
Manual / Electric	Electric	Manual	Manual	Manual	Manual
Blade Type	Rotary	Rotary	Rotary	Rotary	Guillotine
Cut Type	A3	A3	A4	A4	A3
Cutting Length	420mm	455mm	320mm	320mm	455mm
Cutting Capacity	30 Sheets	30 Sheets	10 Sheets	10 Sheets	10 Sheets
Cuts the following material; film / photos / fabric / board	All Except Board	All	All Except Board	All Except Board	All Except Board
SafeCut™ Blade Cartridge			•	•	
SafeCut™ Blade Guard	•				•
SafeCut™ LED Guide					
SafeCut <sup>™</sup> Encapsulated Blade		•			
Interchangeable Heads/Blades	Fixed Blade	Fixed Blade	•	•	Fixed Blade
Blades Included	1	1	1	4	1
SafeCut™ Blade Storage (number)	Fixed Blade	Fixed Blade	3	3	Fixed Blade
Replacable Cutting Strip	•		•	•	Cuts On Table Edge
Adjustable Paper Back-Stop / Edge Guide		•			
Paper Clamp	•	•	•	•	•
Scale Boards Marked in cm & inches	•	•	•	•	•
Full Metal Cutting Base		•	•		•
Carry Handle	•	•	•	•	•
Machine Warranty	2	2	2	2	2
Machine Dimensions / mm (H $\times$ W $\times$ D)	120 x 300 x 620	668 x 372 x 124	76 x 478 x 218	78 x 476 x 218	418 x 588 x 216
Unit Weight / Kg	5	4.74	1.2	0.86	2.64
Outer Dimensions / mm (H $\times$ W $\times$ D)	165 x 346 x 686	452 x 188 x 738	250 x 350 x 510	252 x 348 x 510	256 x 204 x 806
Outer Weight / Kg	7	6.46	6.9	5.62	7.12
Quantity per Outer	1	1	4	4	2
CRC	54120	54107	54102	54101	54109
UPC Bar Code	0043859569687	0043859550975	0043859550432	0043859550425	0043859550999
SCS Bar Code	50043859569682	50043859550970	50043859550437	50043859550420	50043859550994



# FELLOWES CLEANING SOLUTIONS DUSTING ALONE ISN'T GOOD ENOUGH!

A thorough and regular clean of phones, mice, keyboards, computer screens and desks effectively safeguards against infection whilst at the workstation. Keeping your workstation, keyboard and mouse clean is important and Fellowes offer a wide range of products to help keep your workstation clean and hygienic.

## JUST HOW CLEAN IS YOUR KEYBOARD?

Take the test - place a piece of paper on your desk, tip your keyboard upside down above the paper and give it a shake or a gentle tap. Chances are you have dust particles, food crumbs and other offensive debris trapped. These are just the things you CAN see, imagine what is there that you can't! Keep your workstation and your equipment in peak condition and combat these germs with Fellowes range of cleaning products.

## FELLOWES CLEANING SOLUTIONS

#### FELLOWES SCREEN CLEANING WIPES

Alcohol-free screen cleaning wipes safely clean dust, dirt and fingerprints from all types of computer screens and glass surfaces 236254 Screen Cleaning 100 Wipe Tub

Nones SEREIN CLEANING WIPS WIPS

#### FELLOWES WET AND DRY SCREEN CLEANING WIPE SACHETS

• 12 sets of twin sachets, one wet and one dry for optimum cleaning performance

236194 Screen Cleaning 12 Pack Twin Wet / Dry Wipes

### FELLOWES SURFACE CLEANING WIPES

- 100 pre-moistured multi-surface wipes in a re-usable tub
- Surface cleaning wipes can be used on all workstation surfaces except glass and TFT/LCD screens
- 236278 Surface Cleaning 100 Wipe Tub



#### FELLOWES PRESSURISED DUSTER

- Pressurised Duster designed to rid hard-to-reach areas of dust, dirt and debris
- Includes extension tube to reach into tight areas
- 236180 Pressurised Duster





## What Businesses Want to Feel



## SECURE ------ ORGANISED ------ WELL PRESENTED

Fellowes® offers the products that businesses want. Provide your customers with secure identity protection with Fellowes Powershred® shredders. Offer professional looking and organised documents with Fellowes Binding Machines. Deliver well presented and long-lasting laminated documents with Fellowes Laminators.

We're good for business.